

gorenje
Life Simplified



**BUILT-IN
APPLIANCES**

2023

gorenje.com

EUROPEAN BRAND WITH GLOBAL SIGNIFICANCE

With 70 years of tradition and over 10,000 employees Gorenje is one of the largest home appliances manufacturers in the Southeast Europe. Since 2018 Gorenje has been part of the Hisense corporation, a global technology leader. Along with Hisense and the premium brand Asko, Gorenje is one of the Corporation's three global brands.

Gorenje, **high-quality** and **intelligently designed** home appliances are smart and efficient, with **high performance** and **low energy consumption**. They deliver the **best results** every time as well as they enable **simplicity in experience**. Gorenje is successfully fulfilling the **vision of a more connected life**, simplified by a series of connected devices designed with advanced digital solutions and services.

Gorenje's **unique specialty** are **thoughtfully designed product lines**, made in cooperation with **famous designers** such as **Ora-ïto**, as well as **lifestyle collections** to suit different tastes from retro, classic to modern. Gorenje's reputation is recognized by numerous prestigious international awards including the latest Red Dot Design Award, received recently for the new **Gorenje Simplicity** induction hob.



WELCOME TO YOUR LIFE SIMPLIFIED

We believe in a simpler life. In spending time with our loved ones. Revelling in small moments and big milestones.

Everything we do, we do with one goal. To simplify your life. We take inspiration from life and always innovate with you, our simplicity enthusiasts, in mind. We know, what you expect is simplification, not complexity. That is why every innovation, new technology or service we provide has to have a simplifying purpose.

When you choose a Gorenje appliance, you choose truly effortless, reliable and efficient technology built around your needs. You choose to live healthy, to always expect superior results, enjoy flexibility and guidance. You choose to simplify your chores, from the smallest everyday moments to life's biggest events.

We would like to inspire you to embrace simplicity. To make your home life simpler. Simplifying everything around daily tasks you need to do, so that you have more time for everything you love to do.





COOKING 06

Built-in ovens
Built-in microwave ovens
Coffee machines
Warming drawers

HOBS 40

HOODS 62

COOLING 76

Built-in refrigerators and fridge freezers


DISHWASHING 90

Fully integrated dishwashers
Integrated dishwashers

PRODUCT INFO 104

Technical drawings





'5 EXTRA PEOPLE FOR DINNER' MOMENTS

No problem. With pre-set programs, flexible space for pots and pans plus purified air makes cooking for friends and family simply a pleasure.



BAKE THE BEST MEMORIES

BUILT-IN OVENS

Years of ambitious research into the physics behind baking, roasting and steaming have led to a wide range of features and functions that offer a unique cooking experience and above all, healthy and tasty results. These spacious ovens are helpful personal assistants with a talent for details, an innovative **HomeMadePlus** shape that distributes hot air evenly, a monitoring device that cooks meat to perfection, a steaming tool that brings in just enough moisture. There are many interesting configurations to choose from, all of which are exceptionally user-friendly and thoughtfully designed to fit well into your kitchen.

Be inspired, have fun, bake you best memories.

SET AND FORGET, YOUR OVEN DOES IT (ALMOST) ALL!

80
PRE-SET
RECIPES

AUTO
programmes

Heat

AutoProgrammes with StepBake function

For beginners in the kitchen an oven could seem a bit overwhelming. Don't worry, we've all been there! We made the first steps simple by pre-setting 80 delicious recipes to choose from with all parameters set - baking time, temperature, heat - so you just need to enter the dish weight and press start. Experienced chefs will appreciate the **StepBake** function, letting you pre-set every step of the baking recipe and let the oven do the switching automatically.

MIMICS
TRADITIONAL
OVENS



HomeMadePlus shape

Juicy on the inside, crunchy on the outside

Thanks to our spacious **HomeMadePlus** solution, your oven-baked dishes will always get a 'wow'! The oval-shaped interior, inspired by traditional wood-fired ovens, ensures an optimum hot air circulation, embracing your dish and making it tender and juicy on the inside and crunchy on the outside. Recessed side walls further reduce any chances for cool spots, bringing even browning on the whole surface, no matter if you're using a single rack or several racks at the same time.



StepBake

Perfect food in 2, 3 or more steps

Cooking in phases is achieved by manually programming the many steps of the baking process. Throughout all the steps of the automatic cooking process there is no need to change the settings manually. It is also ideal for more experienced users and for dishes like bread and lasagne, which need temperature changes.



MultiFlow 360°

All sides are good sides

MultiFlow 360° guarantees the optimal circulation of heat within the oven. Due to smartly positioned ventilation openings on the back wall and the unique round shape, air is spread evenly throughout the oven. The fan pushes hot air around the entire oven volume, making the food perfectly baked on all sides. The dynamic air movement allows simultaneous baking on many levels without smells and flavours mixing together.



MultilevelBaking

Many dishes in one go

Combination of **MultiFlow 360°** and **HomeMade** shape in some models of Gorenje ovens helps reach the toughest objective: preparing up to five trays of dishes at once. The good news is: the flavour and smells don't mix. Smart air distribution ensures that the food is evenly baked on every level. Since the oven volume is larger, the overview is excellent as well.



SuperSize

Ready for XXL recipes

More spacious ovens allow you to cook a larger quantity of food – not only because of even air circulation at all levels, but also because of the 46cm wide baking trays in both standard and compact ovens. Innovative solutions allow a larger interior and the oven width is fully used. There is more space on each baking tray and the superior technology makes sure the food is cooked evenly on all levels.



FastPreheat

Charmingly fast, saving time and energy

The oven reaches a temperature of up to 200°C in just 6 minutes, saving 30 % of the time needed by standard preheating. This comes in handy for recipes that require a preheated oven. A light and sound signal informs when the temperature is right.



TelescopicGuides

Inside, helpfully coming outside


Smooth running telescopic guides provide a perfect overview of the process on all levels. This means safer and easier removal and cleaning. Gorenje ovens feature fully pulled out guides on three levels in Superior line. During the pyrolytic cleaning, they should be removed from the oven.



UltraCoolDoor

Made to be touched – anytime, all the time

Special triple or even quadruple glazing isolates the oven, making it even safer for children and pets. The heat is kept inside, optimising energy consumption by stopping heat escaping from the oven.



GentleClose

A soft touch is enough

Only a soft touch is needed to close the oven door smoothly, without any noise.



BigSpace

More space for greater cooking freedom

The new generation of Gorenje ovens conceals a shape within the upper part. Now the optimised airflow circulates inside at an even greater volume, circling completely freely. The increased capacity allows preparation of larger baking trays and larger quantities of food, while their outside dimensions remain the same. Instead of the previous 3, the Superior oven now enables using 5 levels at the same time. Capacities range up to 73l in standard ovens and up to 50l in microwave ovens, which is amongst the largest available on the market.



CataClean

A surface that allows no grease

Catalytic cleaning represents a great assistance in oven maintenance. When the oven reaches 85°C or more during the baking process, catalytic panels automatically start absorbing the grease and impurities.



AquaClean

Simple, casual cleaning

Due to completely new enamel in all lines of new Gorenje ovens, **AquaClean** function has been significantly improved. **AquaClean** offers great assistance in cleaning the oven cavity. All it takes is to pour half a litre of water into a baking tray and turn **AquaClean** on after each baking. In just 30 minutes, the results are visible on the entire surface and the baking trays. Stains and grease are softened and can be easily wiped away.

STEAM ROASTING FOR HEALTHY, YET DELICIOUS EATS.



PureSteam

There is so much hype around healthy food so why not try our **PureSteam** technology. Its superb steaming performance uses steam without any water droplets, making the food crunchy on the outside and amazingly tender on the inside. It locks in all the nutrients and keeps the original texture. It works great even when defrosting or reheating.

Steam advantages

- › Lower fat content
- › cook everything through steaming
- › steam different foods at once
- › retain more nutrients in food
- › avoid overcooking food



MultiSteam 360°

Juicy on the inside, crunchy on the outside

The same ventilation system used in conventional ovens, **MultiFlow 360°**, is used in steam ovens. After the steam enters the oven cavity through multiple openings, a special fan distributes the steam evenly, giving the food a soft and tender feel. One water tank is enough for the entire cooking process so no additional opening of the oven is needed, saving time and energy and improving the overall steaming results.

COMPACT MICROWAVE OVEN

DELICIOUS DISHES FASTER AND EASIER



Heat



Microwaves



MultiUse

Sometimes it just makes sense to use all the help technology provides. If using microwaves, combined with a conventional oven and a little grilling on top - at the same time on the same dish — well, why not, right? That's why we developed **MultiUse**. If you have large chunks of white meat, combine grill and heat simultaneously for yummy results, while the grill and microwave combined will roast smaller chunks of meat or bake pizzas in no time!



StirrerTechnology

Trays of all sizes are welcome

The **Stirrer technology** permits a standard-size baking tray to be placed in an oven. The oven's entire width is used, saying goodbye to conventional turntables and uneven heating. The advanced microwave distribution system heats the food uniformly across the entire volume.



Inverter technology

Gentle treatment for tastier food

Because of Inverter technology the energy is evenly distributed instead of pulsating. As a result, the food retains its initial structure, including its vitamins, minerals and fibres. The advantages of the even energy distribution are particularly welcome when reheating or defrosting, and when cooking liquids. The overall microwaving time is shorter, which lowers energy consumption as well.



BO 9835 E01X

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless steel
- Handle colour: Colour of aluminium
- Control panel material: Stainless steel

EFFICIENCY

- Multisystem oven BigSpace - 89 l
- SuperSize baking area

CONTROL

- Mechanic temperature control
- Electronic programming timer

HEATING TYPES



FEATURES

- Illumination
- Baking on different levels at the same time

EQUIPMENT

- 1 shallow enameled baking pan
- 1 Premium grill rack
- Wire guides
- Motorized turn spit

SAFETY

- Dynamic oven cooling - DC

EASY CLEANING

- Eco enamel (oven and baking tray)

TECHNICAL DATA

- Connected load: **3400 W**
- Product dimensions (HxWxD): **47,7 × 89,3 × 53,8 cm**
- Niche dimensions (HxWxD): **48 × 86 × 56 cm**



BOG 9823 E02X

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless steel
- Handle colour: Colour of aluminium
- Control panel material: Stainless steel

- SuperSize baking area
- Maximum oven temperature: 250 °C

- Mechanic minute minder



- Illumination

- 1 Deep tray
- 1 Premium grill rack
- Wire guides
- Motorized turn spit

- Thermoelectric fuse
- Dynamic oven cooling - DC

- EcoClean enamel

- Connected load: **1850 W**
- Product dimensions (HxWxD): **59,4 × 89,5 × 57,2 cm**
- Niche dimensions (HxWxD): **59,5 × 86 × 56 cm**



BOGX 9832 E06BG
BUILT-IN SINGLE OVEN
Advanced Line



- Colour: Black
- Handle colour: Colour of brushed stainless steel
- Control panel material: Glass

EFFICIENCY

- Gas oven
- SuperSize baking area

CONTROL

- Mechanic temperature control
- Touch control electronic programming timer

HEATING TYPES



FEATURES

- Illumination

EQUIPMENT

- 1 Deep tray
- 1 shallow enameled baking pan
- 1 Premium grill rack
- Wire guides
- Partially extendable telescopic guides on one level
- Motorized turn spit
- Catalytic oven side

SAFETY

- Thermoelectric fuse
- Dynamic oven cooling - DC

EASY CLEANING

- EcoClean enamel

TECHNICAL DATA

- Product dimensions (HxWxD): **59,4 × 89,5 × 55,1 cm**
- Niche dimensions (HxWxD): **59,5 × 86 × 56 cm**



BOG 9832 E01X
BUILT-IN SINGLE OVEN
Essential Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel

- Gas oven
- SuperSize baking area

- Mechanic temperature control
- Electronic programming timer



- Illumination

- 1 shallow enameled baking pan
- 1 Premium grill rack
- Wire guides
- Motorized turn spit

- Thermoelectric fuse
- Dynamic oven cooling - DC

- EcoClean enamel

- Product dimensions (HxWxD): **59,4 × 89,5 × 55,1 cm**
- Niche dimensions (HxWxD): **59,5 × 86 × 56 cm**



BOG 9822 E00X

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel

EFFICIENCY

- Gas oven
- SuperSize baking area

CONTROL

- Mechanic temperature control
- Mechanical minute minder

HEATING TYPES



FEATURES

- Illumination

EQUIPMENT

- 1 shallow enameled baking pan
- 1 Premium grill rack
- Drawn guides
- Motorized turn spit

SAFETY

- Thermoelectric fuse
- Dynamic oven cooling - DC

EASY CLEANING

- Eco enamel (oven and baking tray)

TECHNICAL DATA

- Product dimensions (HxWxD): **59,4 × 89,5 × 55,1 cm**
- Niche dimensions (HxWxD): **59,5 × 86 × 56 cm**



BCS 798 S24X

BUILT-IN COMBINED STEAM OVEN

Superior Line



- Colour: Colour of brushed stainless steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Glass and stainless steel
- GentleClose door hinge

EFFICIENCY

- Combined steam oven BigSpace - **73 l**
- SuperSize baking area
- HomeMade Plus shape
- PerfectGrill
- MultiSteam 360°

CONTROL

- Electronic control // Knob shape: Ergonomic knobs
- ProCook // Auto programme

HEATING TYPES



FEATURES

- Step by Step // PureSteam // Double lightning
- Baking on different levels at the same time
- MultiFlow 360°

EQUIPMENT

- 1 shallow tray // 1 deep tray
- 1 Full width perforated steam tray // 1 premium grill rack
- Fully extendable telescopic guides on one level
- Meat Probe // Water container: 1.3 l // SousVide

SAFETY

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Quadruple glazed oven door with one heat deflector (UltraCoolDoorQuadro)

EASY CLEANING

- AquaClean function // Descaling
- SilverMatte // TouchFree Inox
- Removable flat oven inner door glass surface

TECHNICAL DATA

- Energy consumption: **0.7 kWh** (venting), **0.96 kWh** (conventional)
- Connected load: **3400 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **59 x 56 x 55 cm**



BCM 598 S18X

BUILT-IN COMBINED COMPACT MICROWAVE OVEN

Superior Line



- Colour: Colour of brushed stainless steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Glass and varnished metal
- Classic door hinge

- Combined microwave oven - **50 l**
- SuperSize baking area
- HomeMADE® modelled on traditional wood-fired bread oven
- PerfectGrill
- Microwave power: **1000 W**

- Electronic control
- Knob shape: Ergonomic knobs
- ProCook // Auto programme



- Step by Step // MultiUse // Inverter technology
- Stirrer technology // Double lightning
- Baking on different levels at the same time // MultiFlow 360°

- 1 shallow tray // 1 glass tray
- 1 premium grill rack // 1x wire guides

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazing door with a protective grid

- SilverMatte // TouchFree Inox
- Removable flat oven inner door glass surface

- Frequency microwave power: **2450 MHz**
- Connected load: **3000 W**
- Product dimensions (HxWxD): **45.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



**WE'LL
DO THE
COOKING.
YOU DO
THE LIVING.**

OptiBake BUILT-IN OVENS

How about perfect baking results every single time? To achieve this goal, we search for inspiration in wood burning ovens. We come up with **HomeMade** shape that has been completely revamped and the airflow perfected due to a new heater design and the improved distribution of the ventilation openings. The temperature is stable throughout the oven and never again will your dishes be burnt on one side and underdone on the other.

New Gorenje OptiBake ovens offer you an abundance of features that will make cooking easier and more enjoyable, but most of all less time consuming.

Let us take care of the cooking while you enjoy living!

EVENLY BAKED EVERYTIME



HomeMade shape

Gorenje ovens are well known for their innovative rounded cavity, which has been their distinctive feature for many years. The HomeMade shape was inspired by the traditional wood burning ovens and ensures better circulation of air compared to competitors. Now, the HomeMade shape has been completely revamped and the airflow perfected due to a new heater design and the improved distribution of the ventilation openings. That is why the temperature is stable throughout the oven. Never again will your dishes be burnt on one side and underdone on the other.



FastPreheat

For last minute inspiration

OptiBake ovens reach a temperature of up to 200 °C in just 5 minutes, saving 30 % of the time needed by standard preheating and making them one of the fastest ovens on the market. This is very convenient for recipes that require a preheated oven. A light and sound signal informs you when the temperature is just right.



BigSpace

77 l volume

Ready for XXL recipes? Innovative design solution allows a larger interior, and the oven width is fully used. There is more space on each baking tray and the superior technology makes sure the food is cooked evenly on all levels.



AirFry

For healthy indulgences

Now you can have the crispiness and tastiness of fried food without the extra calories. This method of extremely intensive baking with hot air doesn't require any fat to ensure that perfectly delicious crunchy golden crust. In combination with special perforated baking tray, (depending on the model), that perfectly encapsulate the dish all around, you will achieve even better results. Suitable for small cuts of meat, fish, vegetables and pre-prepared frozen products, like French fries and chicken nuggets.



StepBake

Perfect food in 2 or 3 steps

StepBake allows the cook complete control of the baking process, which can be manually programmed. Simply set the parameters for each of the desired 2 or 3 steps and the oven will take care of everything. No further interaction needed, all that's left for you to do is enjoy the final result.



Pizza function

Best pizza in town


This programme with setting of baking temperature up to 300 °C was specifically designed to help you bake the perfect pizza, focaccia, flatbread and similar baked delicacies.



AutoBake

When you don't know how


Gorenje OptiBake ovens provide fully automatic cooking programs with 22 of the most popular recipes to choose from, just ideal for beginners. Extensively tested by Gorenje experts, the AutoBake programmes are fail-safe, delivering great results even without preheating. All that the user needs to do in few cases is choose the dish type and weight and press start. The oven will do the rest.



SteamAssist

For the perfect crunch

By adding the water into the water tank in the control panel you'll get perfect steamed food and crunchy crust. When choosing a programme, which is having the possibility to add steam in the baking process, the oven will let you know when the time is right. Depending on the model of the oven, you have to press a central knob or either touch the function on the display to activate the steam injection.



ExtraSteam

The simpler way to bake with steam

This programme creates the perfectly steamed environment that ensures your bread will have a high rise and crunchy crust. All you have to do is put some water into a shallow tray, select the ExtraSteam programme and let the oven do the work.



FrozenBake

The fastest way to bake frozen goodies

This efficient baking programme is the perfect choice for all frozen food and pre-prepared meals.



Telescopic Guides

For easy and safe handling of baking trays

Smooth running telescopic guides provide a perfect overview of the baking process, as well as safer and easier handling of baking trays. Depending on the model, Gorenje OptiBake ovens feature $\frac{3}{4}$ extendable telescopic guides on one or two levels. As an additional option we are also offering flexible one level telescopic guides that can be simply clicked on the desired level of wire guides.



MultiLevel Baking

When you want to make it all

Combination of smart air movement, evenly distributed spaces between the tray positions and special slightly rounded cavity ensure the food is evenly baked on every level and since the oven volume is larger, the overview is excellent as well.



MaxView

Always know what's going on

Did you know that opening the door during baking time causes the temperature in the oven to drop and can even ruin the dish? Due to a maximized size of door window, excellent halogen lighting, and improved baking level positioning, the new OptiBake ovens afford a complete overview of the baking process at all times without opening the door.



Perforated enameled tray

For all your airfried masterpieces


The perforated enameled tray allows an increased flow of hot air, making all your airfried dishes extra crispy and delicious. At the same time it is also appropriate for steaming the dishes in ovens featuring SteamAssist function.



BakeSensor

Perfectly baked, every time

By controlling the temperature inside the food, the BakeSensor manages the entire process and even activates the alarm when the dish is done.



GentleClose & GentleOpen

Let your cooking make the noise

Only a soft touch is needed to open or close the oven door smoothly, without any noise.



CataClean

A surface that allows no grease

Catalytic cleaning represents a great assistance in oven maintenance. When the oven reaches 85 °C or more during the baking process, catalytic fan cover automatically start absorbing the grease and impurities.



AquaClean

Simple, casual cleaning

AquaClean offers great assistance in cleaning the oven cavity. All it takes is to pour half a liter of water into a baking tray and turn AquaClean on after each baking. In just 30 minutes, the results are visible on the entire surface and the baking trays. Stains and grease are softened and can be easily wiped away.



Removable glass door

Easy acces, easy cleaning

Door glasses can be easily removed, ensuring easier cleaning and therefore always superb view into the oven.



CoolDoor

Safe and energy efficient

Special innovative construction and glazing on the door isolates the oven, so the heat is kept inside, optimizing energy consumption as heat can't escape from the oven cavity. This makes the oven even safer for the user, children and pets and prevents warming up the ambient.



ConnectLife

All about your oven at your fingertips

Why bothering, when you can simplify your life having all possibilities to control and check your oven via app on your mobile device?


Remote control, recipes, mobile notifications, voice control and ticketing are functionalities that will help you manage all oven operations smoother and faster from wherever you are.



ConnectLife – Remote control

Simple control of your oven from anywhere

Now kids won't wait for you anymore having lunch and you being late from your job or busy outside the house. You can turn your oven on or off simply with your mobile device from your office, car, back yard or elsewhere.



ConnectLife – Recipes

Many culinary ideas adjusted to functions and settings of your oven

Availability of many different recipes you can choose from and can be sorted by ingredients, specific dietary requests and simply adapt to your needs. At the same time all the oven functionalities are already adjusted to specific recipe, even when multiple baking steps are required, so you don't have to think about the process and settings to make a perfect dish.



ConnectLife – Voice control

Simple voice commands with digital assistants

Dirty hands while making bread dough and you already want to preheat the oven? No problem, as you can control your oven also with your voice with a support of digital assistants such as Amazon Alexa or Google Assistant. Just say it and it will be settled.



BSA 6747 A04BGWI BUILT-IN SINGLE OVEN

Advanced Line



- Colour: Black
- Handle colour: Colour of dark grey brushed stainless steel
- Control panel material: Glass
- SoftOpen and GentleClose door hinge

EFFICIENCY

- Multisystem oven BigSpace - 77 l
- SuperSize baking area
- Surface of the largest baking pan: 1360 cm²
- HomeMade Plus shape

CONTROL

- Knob shape: Ergonomic knobs
- IconTouch

HEATING TYPES



FEATURES

- STEPBake
- SteamAssist
- Interior light: Above and on side
- AutoBake

EQUIPMENT

- 1 Deep tray
- 1 Shallow tray
- 1 enameled perforated baking pan
- 1 Premium grill rack
- Partially extendable telescopic guides on two levels
- MeatProbe
- Water container: 0.13 l

SAFETY

- Dynamic oven cooling plus - DC+
- Triple glazed oven door with one heat deflector (CoolDoor)

EASYCLEANING

- EcoClean enamel
- Removable flat oven inner door glass surface

TECHNICAL DATA

- Energy consumption: **0.71 kWh** (venting), **0.97 kWh** (conventional)
- Connected load: **3500 W**
- Wi-Fi operation: Integrated
- Product dimensions (HxWxD): **59.5 x 59.5 x 56.4 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.4 x 55 cm**



BOS 6747 A01X BUILT-IN OVEN

Advanced Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel
- SoftOpen and GentleClose door hinge

EFFICIENCY

- Multisystem oven BigSpace - 77 l
- SuperSize baking area
- Surface of the largest baking pan: 1360 cm²
- HomeMade Plus shape
- PerfectGrill

- Knob shape: Ergonomic knobs
- IconTouch



- STEPBake // Interior light: Double illumination
- Baking on different levels at the same time
- AirFry+ // FrozenBake // GentleBake
- Pizza function // AutoBake

- 1 Deep tray
- 1 Shallow tray
- 1 Premium grill rack
- Partially extendable telescopic guides on two levels

- Dynamic oven cooling plus - DC+
- Triple glazed oven door with double heat deflector (UltraCoolDoor)

- EcoClean enamel
- TouchFree Inox
- Removable flat oven inner door glass surface

- Energy consumption: **0.71 kWh** (venting), **0.97 kWh** (conventional)
- Connected load: **3500 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 56.4 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.4 x 55 cm**



BSA 6737 E15X

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel
- SoftOpen and GentleClose door hinge

EFFICIENCY

- Baking with steam BigSpace - 77 l
- SuperSize baking area
- Surface of the largest baking pan: 1360 cm²
- HomeMade Plus shape
- PerfectGrill

CONTROL

- Electronic control
- Knob shape: Sinkable knobs
- IconLed

HEATING TYPES



FEATURES

- STEPBake
- SteamAssist
- Interior light: Above
- Baking on different levels at the same time
- AirFry
- FrozenBake
- GentleBake
- Pizza function

EQUIPMENT

- 1 Deep tray
- 1 enameled perforated baking pan
- 1 Premium grill rack
- Partially extendable telescopic guides on one level with click system
- Water container: 0.13 l

SAFETY

- Dynamic oven cooling plus - DC+
- Double glazed oven door with one heat deflector (CompactDoor)

EASYSUCCESS

- EcoClean enamel
- TouchFree Inox
- Removable flat oven inner door glass surface

TECHNICAL DATA

- Energy consumption: 0.82 kWh (venting), 0.97 kWh (conventional)
- Connected load: 3500 W
- Product dimensions (HxWxD): 59.5 x 59.5 x 56.4 cm
- Niche dimensions min-max (HxWxD): 59-60 x 56-56.4 x 55 cm



BOSX 6737 E09BG

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Black
- Handle colour: Colour of brushed stainless steel
- Control panel material: Glass
- SoftOpen and GentleClose door hinge

- Baking with steam BigSpace - 77 l
- SuperSize baking area
- Surface of the largest baking pan: 1360 cm²
- HomeMade Plus shape
- PerfectGrill

- Mechanic temperature control
- Knob shape: Sinkable knobs
- IconLed



- STEPBake
- ExtraSteam
- Interior light: Above
- AirFry
- FrozenBake
- GentleBake
- Pizza function
- Gratin

- 1 Deep tray
- 1 Shallow tray
- 1 Premium grill rack
- Partially extendable telescopic guides on two levels
- MeatProbe

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Double glazed oven door with one heat deflector (CompactDoor)

- EcoClean enamel
- Removable flat oven inner door glass surface


- Energy consumption: 0.82 kWh (venting), 0.97 kWh (conventional)
- Connected load: 3500 W
- Product dimensions (HxWxD): 59.5 x 59.5 x 56.4 cm
- Niche dimensions min-max (HxWxD): 59-60 x 56-56.4 x 55 cm



BOS 6737 E09X

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel
- SoftOpen and GentleClose door hinge

EFFICIENCY

- Baking with steam BigSpace - 77 l
- SuperSize baking area
- Surface of the largest baking pan: 1360 cm²
- HomeMade Plus shape
- PerfectGrill

CONTROL

- Mechanic temperature control
- Knob shape: Sinkable knobs
- IconLed

HEATING TYPES



FEATURES

- STEPBake
- ExtraSteam
- Interior light: Above
- AirFry
- FrozenBake
- GentleBake
- Pizza function
- Gratin

EQUIPMENT

- 1 Deep tray
- 1 Shallow tray
- 1 Premium grill rack
- Partially extendable telescopic guides on two levels
- MeatProbe

SAFETY

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Double glazed oven door with one heat deflector (CompactDoor)

EASYSUCCESS

- EcoClean enamel
- Removable flat oven inner door glass surface

TECHNICAL DATA

- Energy consumption: **0.82 kWh** (venting), **0.97 kWh** (conventional)
- Connected load: **3500 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 56.4 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.4 x 55 cm**



BOS 6737 E13BG

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Black
- Handle colour: Colour of dark grey brushed stainless steel
- Control panel material: Glass
- SoftOpen and GentleClose door hinge

EFFICIENCY

- Multisystem oven BigSpace - 77 l
- SuperSize baking area
- Surface of the largest baking pan: 1360 cm²
- HomeMade Plus shape: HomeMade Plus shape
- PerfectGrill

- Mechanic temperature control
- Knob shape: Sinkable knobs
- IconLed



- ExtraSteam
- Interior light: Above
- AirFry
- FrozenBake
- GentleBake
- Pizza function
- Gratin

- 1 Deep tray
- 1 shallow enameled baking pan
- 1 Premium grill rack
- Partially extendable telescopic guides on one level with click system
- MeatProbe

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Double glazed oven door with one heat deflector (CompactDoor)
- Mechanic door safety bolt

- AquaClean // EcoClean enamel
- Removable flat oven inner door glass surface

- Energy consumption: **0.82 kWh** (venting), **0.97 kWh** (conventional)
- Connected load: **3500 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 56.4 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.4 x 55 cm**



BO 6737 E02X

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel
- SoftOpen and GentleClose door hinge

EFFICIENCY

- Multisystem oven BigSpace - 77 l
- SuperSize baking area
- Surface of the largest baking pan: 1360 cm²
- HomeMade Plus shape
- PerfectGrill

CONTROL

- Mechanic temperature control
- Knob shape: Sinkable knobs
- IconLed

HEATING TYPES



FEATURES

- STEPBake
- Interior light: Above
- Baking on different levels at the same time
- AirFry
- FrozenBake
- GentleBake
- Pizza function
- Gratin

EQUIPMENT

- 1 Deep tray
- 1 Premium grill rack
- Wire guides

SAFETY

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Double glazed oven door with one heat deflector (CompactDoor)

EASYSLEANNING

- EcoClean enamel
- TouchFree Inox
- Removable flat oven inner door glass surface

TECHNICAL DATA

- Energy consumption: **0.82 kWh** (venting), **0.97 kWh** (conventional)
- Connected load: **3500 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 56.4 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.4 x 55 cm**



BO 6712 E02XK

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel
- Classic door hinge

- Conventional oven - 84 l
- SuperSize baking area
- Surface of the largest baking pan: 1360 cm²
- HomeMade Plus shape
- PerfectGrill

- Mechanic temperature control
- Knob shape: Ergonomic knobs



- Interior light: Above
- GentleBake
- Pizza function

- 1 Deep tray
- 1 Premium grill rack // Wire guides

- Thermoelectric fuse // Dynamic oven cooling - DC
- Double glazed oven door with one heat deflector (CompactDoor)

- EcoClean enamel
- TouchFree Inox
- Removable flat oven inner door glass surface

- Energy consumption: **0.84 kWh** (conventional)
- Connected load: **2500 W**
- Product dimensions (HxWxD): **59.5 x 59.5 x 56.4 cm**
- Niche dimensions min-max (HxWxD): **59-60 x 56-56.4 x 55 cm**



BOGX 6632 E05BG

BUILT-IN SINGLE OVEN

Advanced Line



- Colour: Black
- Handle colour: Colour of brushed stainless steel
- Control panel material: Glass

EFFICIENCY

- Gas oven
- SuperSize baking area

CONTROL

- Mechanic temperature control
- Touch control electronic programming timer

HEATING TYPES



FEATURES

- Illumination

EQUIPMENT

- 2 Shallow trays
- 1 Premium grill rack
- Wire guides
- Partially extendable telescopic guides on one level
- Motorized turn spit
- Catalytic oven side

SAFETY

- Thermoelectric fuse
- Dynamic oven cooling - DC

EASYSUCCESS

- EcoClean enamel

TECHNICAL DATA

- Product dimensions (HxWxD): **59,4 × 59,4 × 55,6 cm**
- Niche dimensions (HxWxD): **59,5 × 56 × 56 cm**



BOG 6632 E01X

BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel

- Gas oven
- SuperSize baking area

- Mechanic temperature control
- Electronic programming timer



- Illumination

- 1 shallow enameled baking pan
- 1 Premium grill rack
- Wire guides
- Motorized turn spit

- Thermoelectric fuse
- Dynamic oven cooling - DC

- EcoClean enamel

- Product dimensions (HxWxD): **59,4 × 59,4 × 55,6 cm**
- Niche dimensions (HxWxD): **59,5 × 56 × 56 cm**



BOG 6622 E00X
BUILT-IN SINGLE OVEN

Essential Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel

EFFICIENCY

- Gas oven
- SuperSize baking area

CONTROL

- Mechanic temperature control
- Mechanical minute minder

HEATING TYPES



FEATURES

- Illumination

EQUIPMENT

- 1 shallow enameled baking pan
- 1 Premium grill rack
- Drawn guides
- Motorized turn spi

SAFETY

- Thermoelectric fuse
- Dynamic oven cooling - DC

EASYSLEANNING

- EcoClean enamel

TECHNICAL DATA

- Product dimensions (HxWxD): 59,4 × 59,4 × 55,6 cm
- Niche dimensions (HxWxD): 59,5 × 56 × 56 cm



BCM 4547 A10X

COMBINED COMPACT MICROWAVE OVEN

Superior Line



- Colour: Stainless Steel
- Handle colour: Colour of brushed stainless steel
- Control panel material: Stainless steel
- SoftOpen and GentleClose door hinge

EFFICIENCY

- Combined microwave oven - **50 l**
- SuperSize baking area
- HomeMADE® modelled on traditional wood-fired bread oven
- Microwave power: **1000 W**

CONTROL

- Knob shape: Ergonomic knobs
- IconTouch

HEATING TYPES



FEATURES

- STEPBAke
- MultiUse
- Interior light: Illumination
- Baking on different levels at the same time
- MultiFlow 360°
- AirFry+
- FrozenBAke
- GentleBAke
- Pizza function
- AutoBAke

EQUIPMENT

- 1 Shallow tray // 1 Glass tray
- 1 Premium grill rack // Wire guides

SAFETY

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazing with a protective grid

EASYCLEANING

- SilverMatte
- TouchFree Inox
- Removable flat oven inner door glass surface

TECHNICAL DATA

- Connected load: **3000 W**
- Product dimensions (HxWxD): **45.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



BCM 4547 A10BG

COMBINED COMPACT MICROWAVE OVEN

Superior Line



- Colour: Black
- Handle colour: Black
- Control panel material: Glass and varnished metal
- SoftOpen and GentleClose door hinge

EFFICIENCY

- Combined microwave oven - **50 l**
- SuperSize baking area
- HomeMADE® modelled on traditional wood-fired bread oven
- Microwave power: **1000 W**

- Knob shape: Ergonomic knobs
- IconTouch



FEATURES

- STEPBAke
- MultiUse
- Interior light: Illumination
- Baking on different levels at the same time
- MultiFlow 360°
- AirFry+
- FrozenBAke
- GentleBAke
- Pizza function
- AutoBAke

- 1 Shallow tray // 1 Glass tray
- 1 Premium grill rack // Wire guides

- Thermoelectric fuse
- Dynamic oven cooling plus - DC+
- Triple glazing with a protective grid

- SilverMatte
- Removable flat oven inner door glass surface

- Connected load: **3000 W**
- Product dimensions (HxWxD): **45.5 x 59.5 x 54.6 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**






BM 251 S7XG

BUILT-IN COMBINED MICROWAVE OVEN

Superior Line



- Colour: Black
- Front panel material: Glass // Door material: Glass
- Stainless steel oven interior
- Left door opening // Door open type: Button
- Double glazed oven door

EFFICIENCY

- Oven volume: **25 l**
- Microwave power: **900 W**
- Power of upper infra heater: **1100 W**
- Number of infra heaters: **1**
- Convection: **2500 W**
- Technology of producing microwaves: Standard technology (HVT)
- Type of microwave distribution: Rotating plate

CONTROL

- Electronic control
- Input type: TouchControl
- Type of display: LCD display
- Sound signal: Off option
- Timer range (min): 95 min

HEATING TYPES



- Combined heating: Microwaves / Grill / Hot air

FEATURES

- AUTO menu
- 10 preinstalled programmes
- Speed and auto defrost (by time and weight)
- Function Smart display
- Multi level cooking
- Time display

EQUIPMENT

- Rotating glass plate
- Rotating grid

SAFETY

- ChildLock
- Door safety bolt

EASY CLEANING

TECHNICAL DATA


- Frequency microwave power: **2450 MHz**
- Connected load: **1450 W**
- Frame dimensions: **595 x 390 x 20 mm**
- Product dimensions (HxWxD): **38,8 x 59,5 x 45 cm**
- Niche dimensions min-max (HxWxD): **38 x 56-56,8 x 47 cm**



BM 251 SG2BG

BUILT-IN MICROWAVE OVEN WITH GRILL

Superior Line



- Colour: Black
- Front panel material: Glass
- Door material: Glass
- Stainless steel oven interior
- Door opening: Hinge on left side
- Door open type: On touch

- Oven volume: **25 l**
- Microwave power: **900 W**
- Power of upper infra heater: **1000 W**
- Number of infra heaters: **1**
- Technology of producing microwaves: Standard technology (HTV)
- Type of microwave distribution: Rotating plate

- Electronic control
- Input type: TouchControl
- Type of display: LED display
- SmartControl
- LogicalChoice
- Display can be switched off
- Sound signal: Off option
- Timer range (min): 95 min



- Combined heating: Microwaves + grill

- AUTO menu
- 15 preinstalled programmes
- Speed and auto defrost (by time and weight)
- Function Smart display
- Multi level cooking
- Time display

- Rotating glass plate
- Rotating grid

- ChildLock
- Door safety bolt

- AquaClean function


- Connected load: **1450 W**
- Frame dimensions: **595 x 390 x 20 mm**
- Product dimensions (HxWxD): **38,8 x 59,5 x 40,1 cm**
- Niche dimensions min-max (HxWxD): **38-38,2 x 56-56,8 x 50 cm**



BM 5350 X

BUILT-IN MICROWAVE OVEN

Essential Line



- Colour: Stainless steel
- Front panel material: Stainless steel
- Door material: Glass
- Stainless steel oven interior
- Left door opening
- Door open type: Button
- Double glazed oven door

EFFICIENCY

- Oven volume: **30 l**
- SuperSize baking area
- Microwave power: **900 W**
- Power of upper infra heater: **1200 W**

CONTROL

- Electronic control
- Input type: Button
- Type of display: LED display
- LogicalChoice

HEATING TYPES



- Combined heating: Microwaves + grill

FEATURES

- AUTO menu
- Defrost function by weight

EQUIPMENT

- Rotating glass plate

SAFETY

- ChildLock

EASY CLEANING

TECHNICAL DATA


- Frequency microwave power: **2450 MHz**
- Connected load: **1450 W**
- Product dimensions (HxWxD): **39 x 59,5 x 40 cm**
- Niche dimensions (HxWxD): **38 x 58 x 55 cm**



BM 201 AG1X

BUILT-IN MICROWAVE OVEN WITH GRILL

Advanced Line



- Colour: Stainless Steel
- Front panel material: Stainless steel
- Door material: Glass
- Stainless steel oven interior
-
- Door opening: Hinge on left side
- Door open type: Button

- Oven volume: **20 l**
- Microwave power: **800 W**
- Power of upper infra heater: **1000 W**
- Number of infra heaters: 1
- Technology of producing microwaves: Standard technology (HTV)
- Type of microwave distribution: Rotating plate

- Electronic control
- Input type: Button, Key
- Type of display: LED display
- SmartControl
- LogicalChoice
- Display can be switched off
- Sound signal: Without off option
- Timer range (min): 95 min



- Combined heating: Microwaves + grill

- AUTO menu
- 15 preinstalled programmes
- Speed and auto defrost (by time and weight)
- Function Smart display
- Multi level cooking
- Time display

- Rotating glass plate
- Grill rack

- ChildLock
- Door safety bolt

- AquaClean function

- Connected load: **1250 W**
- Frame dimensions: **595 x 388 x 20 mm**
- Product dimensions (HxWxD): **38,8 x 59,5 x 34,5 cm**
- Niche dimensions min-max (HxWxD): **38 x 56-56,8 x 34,5 cm**

NOTHING BUT PLEASURE

COFFEE MACHINES

AROMA & GREAT TASTE

Perfect coffee is a serious challenge. Coffee beans need to be ground carefully, water temperature and the pressure needs to be set with precision, milk has to be warm enough and foamed to perfection. Nevertheless, a coffee cup shouldn't be cold either. Gorenje coffee machines will make mornings more enjoyable. Thought out coffee making process will extract the optimal flavor and create the enchanting smell that will bring a perfect start of the day.



CoffeeBean

Easy mornings

The coffee bean container is easily accessible as it can be pulled out. When needed ground coffee can also be used instead of beans. When the machine runs out of coffee beans, a warning will appear on the display.



EasyMilk


Creamy milk foam always at hand

Gorenje coffee machines feature a large milk container for cappuccino or latte, both can be prepared with desired amount of milk. A large milk container allows several cups of hot milk to be made without the need to refill. It is easily removable and can be simply pulled out and stored in the refrigerator until the next time you need it.



CMA 9200 UX

AUTOMATIC BUILT-IN COFFEE MACHINE



EFFICIENCY

- Colour: Colour of brushed stainless steel

- Brewing / steam heating time: 2 min

CONTROL

- Touch control
- LCD display
- Timer function
- Coffee preparation mode: Bean and ground

FEATURES

- Autocappuccino function
- Number of different shots of espresso coffee: 3
- Own coffee setting according to the recipe
- Possibility of 2 simultaneous brewed cups
- Milk frothing option

EASY CLEANING

- Descaling programme

EQUIPMENT

- Beans container: 200 g
- Water container capacity: 1.8 l
- Removable milk container
- Tea brewing option

FUNCTIONS / OPERATING

SAFETY

- Automatic shut down

TECHNICAL DATA


- Container water intake
- Pump pressure: **15 bar**
- Connected load: **1350 W**
- Product dimensions (HxWxD): **45.5 x 59.5 x 38.1 cm**
- Niche dimensions (HxWxD): **45 x 56 x 55 cm**



WD 1410 X

WARMING DRAWER

Superior Line



- Colour: Colour of brushed stainless steel

- Number of servings: Set for 6 persons or 20 dishes in diameter 28 cm or 80 coffee cups or 40 tea cups
- Capacity: 6 servings


- Touch control

- TouchFree Inox
- Air vented circulation
- Time setting: Stop
- Variable temperature
- Cold front
- Drawer bottom: Glass

- Warming of plates
- Warming of cups
- Heat preservation
- Defrosting of food
- Yoghurt
- Manual setting of temperature and timer

- Usable volume: **19.8 l**
- Temperature range: **40 – 80 °C**
- Timer range: **60 – 240 min**
- Connected load: **410 W**
- Product dimensions (HxWxD): **14 x 59.5 x 56 cm**
- Niche dimensions min-max (HxWxD): **14 x 56.4-57 x 55 cm**





‘WOW! COOKING JUST GOT SMART’ MOMENTS

Enjoy fully automatic cooking, fast and healthy thanks to smart technology. Boiling, grilling, warming and melting are simple and safe.



EXPERIENCE COOKING WITH STYLE

BUILT-IN INDUCTION HOBS

Whether preparing a meal for yourself or cooking for the whole family, Gorenje induction hobs deliver a truly streamlined cooking experience every time. With a myriad of finely tuned features that simplify your interaction with the cooking surface, preparing meals has never been more simple, intuitive or convenient.

Smart, precise and flexible.



SUPER FAST BOILING



PowerBoost

Cooking on fast-forward

The **PowerBoost** function intensifies heating, resulting in significantly less heating-up time. It takes just 5.7 minutes to boil 2l of water from 15°C to 90°C, which is half the time of regular electric hobs.



StopGo

Taking a break, anytime

The **StopGo** function stops the cooking and continues with the same settings after being re-activated.



NO MORE BURNT FOOD



SoftMelt

One, two, chocolate


The **SoftMelt** function gently melts chocolate or butter at a constant temperature of 42°C, thereby creating perfect conditions for melting, without burning.



Recall

Reactivate your settings

This function is very helpful, when you turn off the hob unintentionally. You have 5 seconds to recall your last used settings on the hob, which becomes very handy when you're cooking more than one dish. Within 5 seconds after you accidentally turned off the hob, turn on the hob again and within next 5 seconds press **StopGo** function.



ENJOY YOUR COOKING

BUILT-IN GLASS CERAMIC HOBS

Generation of glass ceramic hobs offers many features for fast, convenient and efficient cooking. Efficient and simple, as today's kitchen should be. Because every moment counts, whether preparing a meal or enjoying it with your loved ones.

Make your kitchen moments memorable.



FishZone

An oval cooking zone, perfect for wider pots

Induction and HiLight hobs have an expanded zone called a **FishZone**. When turned on, the traditional round cooking zone turns into a larger and oval surface that is especially suitable for wider pots.



StayWarm

Staying perfect for the latecomers

The **StayWarm** function keeps food at a constant temperature of 70°C until the time is right to serve the meal. The food retains its original flavour and temperature until it is served.



Timer

Somebody always on the watch


The countdown timer can be set for up to 99 minutes. If the optimum cooking time for a particular dish is known from experience, the timer can be set and the hob will switch off automatically when completed. A beep will signal that the food is ready.



ChildLock Pro

Always safety first

ChildLock Pro function is made specially for families with small children. Leaving the kids in the kitchen unattended, has never been safer since this option prevents them turning on the hob. It will automatically lock the hob at every switch-off. Otherwise you can lock the hob by pressing the symbol.



IT 641 BSC7 INDUCTION HOB

Essential Line

59.5
cm



- Colour: Black
- Soft cut hob edges

CONTROL

- SmartControl
- Timer function

FEATURES

- Pause function
- StayWarm
- SoftMelt
- PowerBoost function
- Recall function
- EggTimer
- Personalisation

COOKING SURFACE

- 4 induction heating zones
- Left front: Ø 18 cm, 1,5/2 kW,
- Right front: Ø 14,5 cm, 1,2/1,6 kW,
- Left rear: Ø 18 cm, 1,5/2 kW,
- Right rear: Ø 21 cm, 1,5/2 kW

SAFETY AND DURABILITY

- Residual heat indicator
- ChildLock Pro

TECHNICAL DATA

- Connected load: **7200 W**
- Product dimensions (HxWxD): **5.4 × 59.5 × 52 cm**
- Niche dimensions min-max (HxWxD): **7 × 56-56.2 × 49.5 cm**



ECS 959 BCSC

GLASS CERAMIC HOB

Advanced Line

90
cm



- Colour: Black
- Chamfered front hob edge

CONTROL

- SliderTouch, control at your fingertips
- Timer function

FEATURES

- StopGo function
- StayWarm function
- FishZone

COOKING SURFACE

- 5 HiLight heating zones
- Left front: Triple heating zone 12/17.5/21 cm, 0.8/1.6 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Middle behind: Resistance heater 15.8x29 cm, 0.1 kW
- Right behind: Ø 17x26.5 cm, 1.5/2.4 kW

SAFETY AND DURABILITY

- Residual heat indicator
- ChildLock

TECHNICAL DATA

- Connected load: **7200 W**
- Product dimensions (HxWxD): **5.1 x 90 x 52 cm**
- Niche dimensions min-max (HxWxD): **6.7 x 86-86.2 x 49 cm**



ECS 648 BCSC

GLASS CERAMIC HOB

Advanced Line

60
cm



- Colour: Black
- Chamfered front hob edge

- SliderTouch, control at your fingertips
- Timer function

- PowerZone
- StopGo function
- StayWarm function
- FishZone

- 4 HiLight heating zones
- Left front: Ø 21 cm, 2.1/3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 17x26.5 cm, 1.5/2.4 kW

- Residual heat indicator
- ChildLock

- Connected load: **6900 W**
- Product dimensions (HxWxD): **5.5 x 60 x 52 cm**
- Niche dimensions (HxWxD): **7 x 56 x 49 cm**



ECT 643 BX
GLASS CERAMIC HOB
Essential Line

60
cm



- Colour: Black
- Hob frame: Stainless steel

CONTROL

- Touch control
- Timer function

FEATURES

- Pause function
- StayWarm
- FishZone

**COOKING
SURFACE**

- 4 HiLight heating zones
- Left front: Ø two ring 12/21 cm, 0.8/2.2 kW,
- Right front: Ø 14.5 cm, 1.2 kW,
- Left rear: Ø 14.5 cm, 1.2 kW,
- Right rear: Ø 17x26.5 cm, 1.5/2.4 kW

**SAFETY AND
DURABILITY**

- Residual heat indicator
- ChildLock

TECHNICAL DATA

- Connected load: **7000 W**
- Product dimensions (HxWxD): **5.4 × 60 × 52.5 cm**
- Niche dimensions (HxWxD): **7 × 56 × 49 cm**



ECT 641 BSC
GLASS CERAMIC HOB
Essential Line

59,5
cm



- Colour: Black
- Soft cut hob edges


- Touch control
- Timer function

- StopGo function
- StayWarm function

- 4 HiLight heating zones
- Left front: Ø 21 cm, 2.3 kW
- Right front: Ø 14.5 cm, 1.2 kW
- Left behind: Ø 14.5 cm, 1.2 kW
- Right behind: Ø 18 cm, 1.8 kW

- Residual heat indicator
- ChildLock

- Connected load: **6500 W**
- Product dimensions (HxWxD): **5.4 × 59.5 × 52 cm**
- Niche dimensions (HxWxD): **7 × 56 × 49 cm**



EC 641 BSC

GLASS CERAMIC HOB

Essential Line

60
cm

COOKING SURFACE

- Soft cut hob edges
- 4 HiLight cooking zones
- Left front: Ø 21 cm, 2.1 kW
- Right front: Ø 14,5 cm, 1.2 kW
- Left rear: Ø 14,5 cm, 1.2 kW
- Right rear: Ø 18 cm, 1.7 kW

SAFETY AND DURABILITY

- Residual heat indicator

TECHNICAL DATA

- Connected load: 6200 W
- Product dimensions (HxWxD): **9.2 x 60 x 52 cm**
- Niche dimensions (HxWxD): **6.2 x 56 x 49 cm**



SPARK YOUR CREATIVITY

BUILT-IN GAS HOBS

Cooking like a chef can be simple. All it takes is a creative spark as your **Gorenje gas hob** will take care of everything else. With its **big surface**, **powerful burners** and **advanced features**, it offers support for your wildest cooking endeavours.

Spark your creativity and surprise your loved ones.



BigSurface

Plenty of space for every pan or pot

Enlarged cooking surface (up to 20%) and longer distances between burners offer plenty of space for all sizes of pans and pots. Sleek and flat design allows easy sliding and using very big pots without disturbance, with perfect stability for all your cooking adventures.



Cast iron ProGrids

Strong, stable and durable support

Massive and elegant cast iron ProGrids are extremely stable and resistant even to the highest temperatures. They bring superior stability, durability and user-friendly design to your kitchen.



ChefBurners

More powerful and efficient cooking

New high-efficiency **ChefBurners** provide more efficient gas consumption and enable faster and eco-friendlier cooking. Different sizes of burners give you full flexibility, while their user-friendly positioning enables easy and safe cooking.



WokBurner

Powerful cooking, great authentic taste

New wok burner with special shape of gas crown directs flame directly to wok and enables even more powerful cooking with up to 4.0 kW power. Asian cuisine, vegetables and other dishes have never been so crisp and delicious, yet done so quickly.



Wok Cradle

For really authentic results

Massive and stable wok cradle fits perfectly to the grid and offers safe and convenient use of the wok for best cooking results.




**100%
SAFE**



GasStop

Full stop, full safety

If during cooking the flame gets extinguished for any reason (wind, liquid spillage), there is no need to worry. Automatic GasStop flame failure device will cut off the gas supply immediately to ensure full safety.



One hand ignition

Simple and convenient

One-hand burner ignition brings extra comfort and easy control to your gas hob. To activate the gas burner simply press the knob down and rotate it to desired level with one hand while your other hand is free. Quick, simple, and efficient.



Easy Clean

Effortlessly shiny

Special brushment of inox enables less scratches and fingerprints on the hob surface. At the same time flat and modern design of the drip tray makes it quick and easy to clean and maintain.



GW 9C51 X
GAS HOB
Essential Line



- Colour: Stainless steel

CONTROL

- Knob shape: Ergonomic knobs

FEATURES

- High efficiency burners
- Wok double burner

**COOKING
SURFACE**

- One-hand ignition device for hob
- 1 auxiliary burner + 1 double burner + 1 large burner + 1 normal burner
- Left front: Ø 9.85 cm, 3 kW
- Right front: Ø 5.37 cm, 1.05 kW
- Left behind: Ø 7.35 cm, 1.7 kW
- Right behind: Ø 7.35 cm, 1.7 kW
- Center: Ø 12.3 cm, 3.9 kW
- Type of pan support: Cast iron grid

**SAFETY AND
DURABILITY**

- Gas control

TECHNICAL DATA

- Product dimensions (HxWxD): **13.6 × 90 × 52 cm**
- Niche dimensions (HxWxD): **6.2 × 86 × 49 cm**



GW 951 X
GAS HOB
Essential Line



- Colour: Stainless steel

- Knob shape: Ergonomic knobs

- High efficiency burners
- Wok double burner

- One-hand ignition device for hob
- 1 auxiliary burner + 1 double burner + 1 large burner + 1 normal burner
- Left front: Ø 12,3 cm, 3,9 kW,
- Middle front: Ø 5,37 cm, 1,05 kW,
- Right front: Ø 9,85 cm, 3 kW,
- Middle rear: Ø 7,35 cm, 1,7 kW,
- Right rear: Ø 7,35 cm, 1,7 kW
- Type of pan support: Cast iron grid

- Gas control

- Product dimensions (HxWxD): **13 × 90 × 52 cm**
- Niche dimensions (HxWxD): **10 × 86 × 49 cm**



GCW 951 B
GAS ON GLASS CERAMIC HOB
Essential Line

90
cm



- Colour: Black

CONTROL

- Knob shape: Ergonomic knobs

FEATURES

- High efficiency burners
- Wok double burner

**COOKING
SURFACE**

- One-hand ignition device for hob
- 1 auxiliary burner + 1 double burner + 1 large burner + 1 normal burner
- Left front: Ø 12,3 cm, 3,9 kW,
- Middle front: Ø 5,37 cm, 1,05 kW,
- Right front: Ø 9,85 cm, 3 kW,
- Middle rear: Ø 7,35 cm, 1,7 kW,
- Right rear: Ø 7,35 cm, 1,7 kW
- Type of pan support: Cast iron grid

**SAFETY AND
DURABILITY**

- Gas control

TECHNICAL DATA

- Connected load: **1 W**
- Product dimensions (HxWxD): **13.2 x 90 x 52 cm**
- Niche dimensions (HxWxD): **10 x 86 x 49 cm**



GW 951 MB
GAS HOB
Essential Line

90
cm



- Colour: Black

- Knob shape: Ergonomic knobs

- High efficiency burners
- Wok double burner

- One-hand ignition device for hob
- 1 auxiliary burner + 1 double burner + 1 large burner + 1 normal burner
- Left: Ø 12.3 cm, 3.9 kW
- Middle front: Ø 5.37 cm, 1.05 kW
- Right front: Ø 9.85 cm, 3 kW
- Middle behind: Ø 7.35 cm, 1.7 kW
- Right behind: Ø 7.35 cm, 1.7 kW
- Type of pan support: Cast iron grid

- Gas control

- Product dimensions (HxWxD): **13.6 x 90 x 52 cm**
- Niche dimensions (HxWxD): **6.2 x 86 x 49 cm**



GW 751 X

GAS HOB

Essential Line

75
cm



- Colour: Stainless steel

CONTROL

- Knob shape: Ergonomic knobs

FEATURES

- High efficiency burners
- Wok double burner

COOKING SURFACE

- One-hand ignition device for hob
- 1 auxiliary burner + 1 double burner + 1 large burner + 1 normal burner
- Left: Ø 12.3 cm, 4.05 kW
- Middle front: Ø 5.37 cm, 1.05 kW
- Right front: Ø 9.85 cm, 3 kW
- Middle behind: Ø 7.35 cm, 1.8 kW
- Right behind: Ø 7.35 cm, 1.8 kW
- Type of pan support: Cast iron grid

SAFETY AND DURABILITY

- Gas control

TECHNICAL DATA

- Product dimensions (HxWxD): **13.6 x 75 x 52 cm**
- Niche dimensions (HxWxD): **6.2 x 71.5 x 49 cm**



GW 642 ABX

GAS HOB

Advanced Line

60
cm



- Colour: Stainless steel

- Knob shape: Ergonomic knobs

- High efficiency burners
- Wok double burner

- One-hand ignition device for hob
- 1 auxiliary burner + 1 double burner + 2 normal burners
- Left front: Ø 12.3 cm, 3.5 kW
- Right front: Ø 5.37 cm, 1.05 kW
- Left behind: Ø 7.35 cm, 1.8 kW
- Right behind: Ø 7.35 cm, 1.8 kW
- Type of pan support: Cast iron grid

- Gas control

- Product dimensions (HxWxD): **13 x 60 x 52 cm**
- Niche dimensions (HxWxD): **10 x 56 x 49 cm**



GW 642 AB
GAS HOB
Advanced Line



CONTROL

FEATURES

**COOKING
SURFACE**

**SAFETY AND
DURABILITY**

TECHNICAL DATA

- Colour: Black
- Knob shape: Ergonomic knobs
- High efficiency burners
- Wok double burner
- One-hand ignition device for hob
- 1 auxiliary burner + 1 double burner + 2 normal burners
- Left front: Ø 12.3 cm, 3.5 kW
- Right front: Ø 5.37 cm, 1.05 kW
- Left behind: Ø 7.35 cm, 1.8 kW
- Right behind: Ø 7.35 cm, 1.8 kW
- Type of pan support: Cast iron grid
- Gas control

- Product dimensions (HxWxD): **13 x 60 x 52 cm**
- Niche dimensions (HxWxD): **10 x 56 x 49 cm**



G 641 EX
GAS HOB
Essential Line



- Colour: Stainless steel
- Knob shape: Ergonomic knobs
- High efficiency burners
- One-hand ignition device for hob
- 1 auxiliary burner + 1 large burner + 2 standard burners
- Left front: Ø 9.85 cm, 3 kW
- Right front: Ø 5.37 cm, 1.05 kW
- Left behind: Ø 7.35 cm, 1.8 kW
- Right behind: Ø 7.35 cm, 1.8 kW
- Type of pan support: Enameled
- Pan support cross
- Gas control

- Product dimensions (HxWxD): **13 x 60 x 52 cm**
- Niche dimensions (HxWxD): **10 x 56 x 49 cm**



G 640 EX GAS HOB

Essential Line



- Colour: Stainless steel

CONTROL

- Knob shape: Ergonomic knobs

FEATURES

- High efficiency burners

COOKING SURFACE

- One-hand ignition device for hob
- 1 auxiliary burner + 1 large burner + 2 standard burners
- Left front: Ø 9,85 cm, 3 kW,
- Right front: Ø 5,37 cm, 1,05 kW,
- Left rear: Ø 7,35 cm, 1,8 kW,
- Right rear: Ø 7,35 cm, 1,8 kW
- Type of pan support: Enameled

SAFETY AND DURABILITY

- Gas control

TECHNICAL DATA

- Connected load: **1 W**
- Product dimensions (HxWxD): **13 x 60 x 52 cm**
- Niche dimensions (HxWxD): **10 x 56 x 49 cm**



GCE 681 BSC COMBINED COOKING HOB

Essential Line



- Colour: Black

- Knob shape: Ergonomic knobs

- High efficiency burners

- One-hand ignition device for hob
- 1 auxiliary burner + 1 half-speed burner + 1 large burner + 1 HiLight heating zone
- Left front: 1.05 kW
- Right front: 1.7 kW
- Left rear: Ø 18 cm, 1.8 kW
- Right rear: 3 kW
- Type of pan support: Cast iron grid

- Residual heat indicator

- Gas control

- Connected load: **1800 W**
- Product dimensions (HxWxD): **13.2 x 60 x 52.2 cm**
- Niche dimensions (HxWxD): **10 x 56 x 49 cm**



DOMINO, DESIGNED FOR THE INDIVIDUAL

DOMINO HOBS

Hobs with two heating zones allow combinations tailored to one's needs. The Gorenje range encompasses glass ceramic hobs with HiLight or induction heating zones, as well as a hobs with two gas burners.

Small but effective.



IT 321 BCSC INDUCTION HOB

Essential Line



- Colour: Black
- Chamfered front hob edge

CONTROL

- SmartControl
- Timer function

FEATURES

- StopGo function
- StayWarm function
- SoftMelt function
- PowerBoost function
- Recall function
- EggTimer
- Personalisation

COOKING SURFACE

- 2 induction heating zones
- Front: Ø 16 cm, 1.4/1.85 kW
- Behind: Ø 21 cm, 2.3/3 kW

SAFETY AND DURABILITY

- Residual heat indicator
- ChildLock Pro

TECHNICAL DATA

- Connected load: **3680 W**
- Product dimensions (HxWxD): **5.4 × 30 × 52 cm**
- Niche dimensions min-max (HxWxD): **7 × 28.3-28.5 × 49 cm**



ECT 321 BCSC GLASS CERAMIC HOB

Essential Line



- Colour
- Chamfered front hob edge

- Touch control
- Timer function

- StopGo function
- StayWarm function

- 2 HiLight heating zones
- Front: Ø 18 cm, 1.8 kW
- Behind: Ø 14.5 cm, 1.2 kW

- Residual heat indicator
- ChildLock

- Connected load: **3000 W**
- Product dimensions (HxWxD): **5.1 × 30 × 52 cm**
- Niche dimensions (HxWxD): **6.7 × 28.3 × 49 cm**



EC 321 BCSC
GLASS CERAMIC HOB
Essential Line

30
cm



EM 300 E
ELECTRIC HOB
Essential Line

28.8
cm

CONTROL

**COOKING
SURFACE**

**SAFETY AND
DURABILITY**

TECHNICAL DATA

- Colour: Black
- Chamfered front hob edge
- Knob shape: Ergonomic knobs

- 2 HiLight heating zones
- Front: Ø 18 cm, 1.7 kW
- Behind: Ø 14.5 cm, 1.2 kW

- Residual heat indicator

- Connected load: **2900 W**
- Product dimensions (HxWxD): **8.5 x 30 x 52 cm**
- Niche dimensions (HxWxD): **6.7 x 28.3 x 49 cm**

- Colour: Stainless steel

- Knob shape: Ergonomic knobs

- 1 standard hotplate + 1 fast hotplate
- Front: Ø 14.5 cm, 1 kW
- Behind: Ø 18 cm, 2 kW

- Connected load: **3000 W**
- Product dimensions (HxWxD): **7.5 x 28.8 x 51 cm**
- Niche dimensions (HxWxD): **5.7 x 26.8 x 49 cm**




GC 321 B

GAS ON GLASS CERAMIC

30
cm

	- Colour: Black
CONTROL	- Knob shape: Ergonomic knobs
FEATURES	
COOKING SURFACE	- One-hand ignition device for hob - 1 auxiliary burner + 1 large burner - Front: Ø 5.37 cm, 1.05 kW, - Behind: Ø 9.85 cm, 3 kW - Type of pan support: Cast iron grid
SAFETY AND DURABILITY	- Gas control
TECHNICAL DATA	- Product dimensions (HxWxD): 13.2 x 30 x 52 cm - Niche dimensions (HxWxD): 10 x 26 x 49 cm





‘NOT EVERYONE IN THE HOUSE SHOULD KNOW’ MOMENTS

Our self adjusting, silent hood traps cooking smells and steam. Keep the aroma of great food on your plate not in your entire home.



A HELPING HAND FROM ABOVE

HOODS

Gorenje hoods bring two in one as they are technologically advanced tools in the form of superbly designed objects. They are a perfect companion to a modern lifestyle – they contribute to a healthier living environment, efficiently remove bad smells and work silently and reliably. Gorenje hoods are made of top quality materials and offer the best user experience whilst cooking, cleaning or simply just watching them.

Keeping the air clean.

SUPER EFFICIENT SUCTION LEAVING NO ODOURS

**NO
BAD
ODOURS**



AdaptAir Pro

Sometimes you can sense there are delicacies in the kitchen being prepared, and it's not always pleasant. But finally, with **AdaptAir Pro**, you can say goodbye to unpleasant cooking smells thanks to its patent pending technology. The suction power is evenly distributed across the entire filter opening, even at the lowest speeds, efficiently extracting odours, steam and other impurities from the air in your kitchen, including from your cabinetry around the hood. Better distributed sucking also means less required cleaning.



Polyurethane filter

Benefits of polyurethane foam

Unique aluminium grease filters are enhanced with a special polyurethane foam that eliminates up to 98% of all grease particles and other impurities. At the same time, the hood maintains its absorption efficiency.



LedLight

**FUNCTIONAL
& AESTHETIC**

Perfect overview over your cooking


Some say once you try LED lights, you never go back. And why should you? LED lighting, as built-in selected hoods not only provides stronger, better illumination, it does all that by using as little as 10% of energy and its lifespan is 30 times longer compared to traditional lights.



PowerBoost

For extra powerful ventilation

Activate the PowerBoost function to immediately remove excess steam bursting out of a pot. Select Gorenje+ hoods feature continuous SliderTouch power control with two power boost settings.



TouchFree coating

Shiny and fingerprint-free finish


All stainless steel surfaces are coated with a special TouchFree film that prevents fingerprint markings, leaving the surface always shiny and making cleaning much easier.



Gentle close

Smooth closing

Some pull out hood models now feature a new comfortable way of closing - just like the kitchen furniture. The new GentleClose function enables simple, silent and elegant closing. A gentle push is enough for the hood to softly retract to its housing.



Clean filter indicator

Instant information

Cleaning is an important factor in prolonging the useful life of your kitchen hood and its filters. Latest models feature a sensor that is able to perceive when the filter is saturated with grease particles to the extent when optimum hood performance is impaired. A light symbol on the control panel will alarm you that it is time to clean or replace the filter (for hoods with charcoal filters).



IHT 943 E6XGB ISLAND COOKER HOOD

Advanced Line



- Venting with air extraction or recirculation
- Material of housing/chimney: stainless steel / stainless steel
- Colour of housing/chimney: stainless steel / stainless steel

EFFICIENCY

- Maximum extraction rate by extraction operation: **400 m³/h**
- Maximum extraction rate by recirculation operation: **305 m³/h**
- Venting tube diameter: **15 cm**

THE CAPACITY OF VENTILATOR

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **300 m³/h**
- Air flow by extraction version, step 3: **400 m³/h**
- Airflow boost position (PowerBoost 1) - extraction: **675 m³/h**
- Number of PowerBoost functions: **1**

CONTROL

- Electronic control
- Control setting: Touch control
- Timer function
- Number of speed positions: **4**

FEATURES

- Lamp type: Led strip
- Number of lights: **4**
- Power of lights: **16 W**

EQUIPMENT

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

TECHNICAL DATA

- Max. noise level: **60 dB(A)re 1 pW**
- Product dimensions (WxD): **90 × 50 cm**
- Height: **515 mm**
- Min. height of the chimney: **775 mm**
- Max. height of the chimney: **975 mm**
- Annual energy consumption: **68,8 kWh**



IHR 443 E6X ISLAND COOKER HOOD

Advanced Line



- Venting with air extraction or recirculation
- Material of housing/chimney: stainless steel / stainless steel
- Colour of housing/chimney: stainless steel / stainless steel

- Maximum extraction rate by extraction operation: **430 m³/h**
- Maximum extraction rate by recirculation operation: **320 m³/h**
- Venting tube diameter: **15 cm**

- Air flow by extraction version, step 1: **235 m³/h**
- Air flow by extraction version, step 2: **320 m³/h**
- Air flow by extraction version, step 3: **430 m³/h**
- Airflow boost position (PowerBoost 1) - extraction: **645 m³/h**
- Number of PowerBoost functions: **1**

- Electronic control
- Control setting: Touch control
- Timer function
- Number of speed positions: **4**

- Lamp type: LED
- On/off light switch
- Number of lights: **4**
- Power of lights: **16 W**
- Perimetric suction

- Filter material: Aluminium
- Washable grease filter
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

- Max. noise level: **62 dB(A)re 1 pW**
- Product dimensions (WxD): **39,2 × 39,2 cm**
- Height: **650 mm**
- Min. height of the chimney: **250 mm**
- Max. height of the chimney: **550 mm**
- Annual energy consumption: **66,8 kWh**



WHI 949 EXBG

WALL MOUNTED COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Painted steel/glass / stainless steel
- Colour of housing/chimney: silver / stainless steel

EFFICIENCY

- Maximum extraction rate by extraction operation: **608 m³/h**
- Maximum extraction rate by recirculation operation: **374 m³/h**
- Venting tube diameter: **15 cm**

THE CAPACITY OF VENTILATOR

- Air flow by extraction version, step 1: **367 m³/h**
- Air flow by extraction version, step 2: **447 m³/h**
- Air flow by extraction version, step 3: **608 m³/h**

CONTROL

- Electronic control
- Number of speed positions: **3**

FEATURES

- Lamp type: Led strip
- On/off light switch
- Number of lights: **1**
- Power of lights: **3 W**

EQUIPMENT

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- No return airflow flap: **150 mm**

TECHNICAL DATA

- Max. noise level: **63 dB(A)re 1 pW**
- Product dimensions (WxD): **90 × 33.5 cm**
- Height: **380 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **705 mm**
- Annual energy consumption: **59.2 kWh**



WHI 649 EB

WALL MOUNTED COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Painted steel/glass / varnished steel
- Colour of housing/chimney: black / black

- Maximum extraction rate by extraction operation: **608 m³/h**
- Maximum extraction rate by recirculation operation: **374 m³/h**
- Venting tube diameter: **15 cm**

- Air flow by extraction version, step 1: **367 m³/h**
- Air flow by extraction version, step 2: **447 m³/h**
- Air flow by extraction version, step 3: **608 m³/h**

- Electronic control
- Control setting: Touch control
- Number of speed positions: **3**

- Lamp type: Led strip
- On/off light switch
- Number of lights: **1**
- Power of lights: **3 W**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- No return airflow flap: **150 mm**

- Max. noise level: **63 dB(A)re 1 pW**
- Product dimensions (WxD): **60 × 33.5 cm**
- Height: **380 mm**
- Min. height of the chimney: **575 mm**
- Max. height of the chimney: **705 mm**
- Annual energy consumption: **59.2 kWh**



WHT 943 E4XBG WALL MOUNTED COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: Stainless steel and glass / Stainless steel
- Colour of housing/chimney: Stainless steel and black glass / Stainless steel

EFFICIENCY

- Maximum extraction rate by extraction operation: **650 m³/h**
- Maximum extraction rate by recirculation operation: **488 m³/h**
- Venting tube diameter: **15 cm**

THE CAPACITY OF VENTILATOR

- Air flow by extraction version, step 1: **235 m³/h**
- Air flow by extraction version, step 2: **355 m³/h**
- Air flow by extraction version, step 3: **650 m³/h**

CONTROL

- Electronic control
- Control setting: Touch control
- Number of speed positions: **3**

FEATURES

- TouchFree Inox
- Lamp type: LED
- On/off light switch
- Number of lights: **2**
- Total power of lights: **6 W**

EQUIPMENT

- Filter material: Washable stainless steel with polyurethane foam and flaps
- Highly efficient filter: AdaptAir Pro
- Number of motors: **1**
- No return airflow flap: **150 mm**

TECHNICAL DATA

- Max. noise level: **70 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 45.6 cm**
- Height: **60 mm**
- Min. height of the chimney: **740 mm**
- Max. height of the chimney: **980 mm**
- Annual energy consumption: **68.3 kWh**



WHT 923 E5XUK WALL MOUNTED COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: stainless steel / stainless steel
- Colour of housing/chimney: stainless steel / stainless steel

EFFICIENCY

- Maximum extraction rate by extraction operation: **560 m³/h**
- Maximum extraction rate by recirculation operation: **420 m³/h**
- Venting tube diameter: **15 cm**

THE CAPACITY OF VENTILATOR

- Air flow by extraction version, step 1: **240 m³/h**
- Air flow by extraction version, step 2: **365 m³/h**
- Air flow by extraction version, step 3: **560 m³/h**

CONTROL

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

FEATURES

- TouchFree Inox
- Lamp type: LED
- On/off light switch
- Number of lights: **2**
- Power of lights: **6 W**

EQUIPMENT

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: 1
- No return airflow flap: 150 mm

TECHNICAL DATA

- Max. noise level: **67 dB(A)re 1 pW**
- Product dimensions (WxD): **89.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **740 mm**
- Max. height of the chimney: **980 mm**
- Annual energy consumption: **68.9 kWh**



WHT 623 E5XUK WALL MOUNTED COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: stainless steel / stainless steel
- Colour of housing/chimney: stainless steel / stainless steel

- Maximum extraction rate by extraction operation: **550 m³/h**
- Maximum extraction rate by recirculation operation: **413 m³/h**
- Venting tube diameter: **15 cm**

- Air flow by extraction version, step 1: **245 m³/h**
- Air flow by extraction version, step 2: **355 m³/h**
- Air flow by extraction version, step 3: **550 m³/h**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

- TouchFree Inox
- Lamp type: LED
- On/off light switch
- Number of lights: **2**
- Total power of lights: **6 W**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: 1
- No return airflow flap: **150 mm**

- Max. noise level: **68 dB(A)re 1 pW**
- Product dimensions (WxD): **59.8 × 45 cm**
- Height: **42 mm**
- Min. height of the chimney: **740 mm**
- Max. height of the chimney: **980 mm**
- Annual energy consumption: **69.3 kWh**



WHC 923 E16X-SA WALL MOUNTED COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: stainless steel / stainless steel
- Colour of housing/chimney: stainless steel / stainless steel

EFFICIENCY

- Maximum extraction rate by extraction operation: **520 m³/h**
- Maximum extraction rate by recirculation operation: **390 m³/h**
- Venting tube diameter: **15 cm**

THE CAPACITY OF VENTILATOR

- Air flow by extraction version, step 1: **238 m³/h**
- Air flow by extraction version, step 2: **380 m³/h**
- Air flow by extraction version, step 3: **520 m³/h**

CONTROL

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

FEATURES

- TouchFree Inox
- Lamp type: LED
- On/off light switch
- Number of lights: **2**
- Power of lights: **6 W**

EQUIPMENT

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

TECHNICAL DATA

- Max. noise level: **63 dB(A)re 1 pW**
- Product dimensions (WxD): **90 × 50 cm**
- Height: **250 mm**
- Min. height of the chimney: **545 mm**
- Max. height of the chimney: **875 mm**
- Annual energy consumption: **60.4 kWh**



WHC 623 E16X-SA WALL MOUNTED COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: stainless steel / stainless steel
- Colour of housing/chimney: stainless steel / stainless steel

- Maximum extraction rate by extraction operation: **505 m³/h**
- Maximum extraction rate by recirculation operation: **380 m³/h**
- Venting tube diameter: **15 cm**

- Air flow by extraction version, step 1: **230 m³/h**
- Air flow by extraction version, step 2: **372 m³/h**
- Air flow by extraction version, step 3: **505 m³/h**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

- TouchFree Inox
- Lamp type: LED
- On/off light switch
- Number of lights: **2**
- Power of lights: **6 W**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

- Max. noise level: **62 dB(A)re 1 pW**
- Product dimensions (WxD): **60 × 50 cm**
- Height: **250 mm**
- Min. height of the chimney: **545 mm**
- Max. height of the chimney: **875 mm**
- Annual energy consumption: **62.2 kWh**



BHP 923 E13X BUILT-IN EXTENDABLE COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney:
Stainless steel / varnished metal
- Colour of housing/chimney:
Stainless steel / Stainless steel

EFFICIENCY

- Maximum extraction rate by extraction operation:
647 m³/h
- Maximum extraction rate by recirculation operation:
499 m³/h
- Venting tube diameter: **15 cm**

THE CAPACITY OF VENTILATOR

- Air flow by extraction version, step 1: **250 m³/h**
- Air flow by extraction version, step 2: **433 m³/h**
- Air flow by extraction version, step 3: **647 m³/h**

CONTROL

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

FEATURES

- TouchFree Inox
- Lamp type: LED
- On/off light switch
- Number of lights: **2**
- Total power of lights: **6 W**

EQUIPMENT

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

TECHNICAL DATA

- Max. noise level: **68 dB(A)re 1 pW**
- Product dimensions (WxD): **90 × 30.5 cm**
- Height: **310 mm**
- Annual energy consumption: **66.4 kWh**



BHP 623 E13X BUILT-IN EXTENDABLE COOKER HOOD

Essential Line



- Venting with air extraction or recirculation
- Material of housing/chimney: stainless steel and varnished metal
- Colour of housing/chimney: stainless steel

- Maximum extraction rate by extraction operation:
639 m³/h
- Maximum extraction rate by recirculation operation:
492 m³/h
- Venting tube diameter: **15 cm**

- Air flow by extraction version, step 1: **245 m³/h**
- Air flow by extraction version, step 2: **426 m³/h**
- Air flow by extraction version, step 3: **639 m³/h**

- Mechanic control
- Control setting: Button control
- Number of speed positions: **3**

- TouchFree Inox
- Lamp type: LED
- On/off light switch
- Number of lights: **2**
- Power of lights: **6 W**

- Filter material: Washable aluminium with polyurethane foam
- Number of motors: **1**
- Motor type: Capacitor motor
- No return airflow flap: **150 mm**

- Max. noise level: **68 dB(A)re 1 pW**
- Product dimensions (WxD): **60 × 30.5 cm**
- Height: **310 mm**
- Annual energy consumption: **66.7 kWh**



WHU 629 ES/S

UNDERCABINET COOKER HOOD

Essential Line



59.6
cm

- Venting with air extraction or recirculation
- Material of housing/chimney: varnished steel
- Colour of housing/chimney: silver

EFFICIENCY

- Maximum extraction rate by extraction operation: **200 m³/h**
- Maximum extraction rate by recirculation operation: **60 m³/h**
- Venting tube diameter: **12 cm**

THE CAPACITY OF VENTILATOR

- Air flow by extraction version, step 1: **108 m³/h**
- Air flow by extraction version, step 2: **159 m³/h**
- Air flow by extraction version, step 3: **200 m³/h**

CONTROL

- Mechanic control
- Number of speed positions: **3**

FEATURES

- Lamp type: LED
- On/off light switch
- Number of lights: **1**
- Power of lights: **4 W**

EQUIPMENT

- Filter material: Syntetic
- Washable grease filter
- Number of motors: **1**

TECHNICAL DATA

- Max. noise level: **64 dB(A)re 1 pW**
- Product dimensions (WxD): **59.6 × 46.8 cm**
- Height: **125 mm**
- Annual energy consumption: **29.1 kWh**



WHU 629 EW/S

UNDERTABLE COOKER HOOD

Essential Line



59.6
cm

- Venting with air extraction or recirculation
- Material of housing/chimney: varnished steel
- Colour of housing/chimney: White

- Maximum extraction rate by extraction operation: **200 m³/h**
- Maximum extraction rate by recirculation operation: **60 m³/h**
- Venting tube diameter: **12 cm**

- Air flow by extraction version, step 1: **108 m³/h**
- Air flow by extraction version, step 2: **159 m³/h**
- Air flow by extraction version, step 3: **200 m³/h**

- Mechanic control
- Number of speed positions: **3**

- Lamp type: LED bulb
- On/off light switch
- Number of lights: **1**
- Power of lights: **4 W**

- Filter material: Syntetic
- Washable grease filter
- Number of motors: **1**

- Max. noise level: **64 dB(A)re 1 pW**
- Product dimensions (WxD): **59.6 × 46.8 cm**
- Height: **125 mm**
- Annual energy consumption: **29.1 kWh**



BHI 611 ES

INTEGRATED COOKER HOOD

Essential Line

D Energy Class

53.4
cm

- Venting with air extraction or recirculation
- Material of housing/chimney: Varnished steel
- Colour of housing/chimney: Grey

EFFICIENCY

- Maximum extraction rate by extraction operation: **370 m³/h**
- Maximum extraction rate by recirculation operation: **140 m³/h**
- Venting tube diameter: **12 cm**

THE CAPACITY OF VENTILATOR

- Air flow by extraction version, step 1: **290 m³/h**
- Air flow by extraction version, step 2: **340 m³/h**
- Air flow by extraction version, step 3: **370 m³/h**

CONTROL

- Mechanic control
- Control setting: Switch
- Number of speed positions: **3**

FEATURES

- Lamp type: LED
- On/off light switch
- Number of lights: **2**
- Power of lights: **6 W**

EQUIPMENT


- Filter material: Aluminium
- Washable grease filter
- Number of motors: **1**

TECHNICAL DATA

- Max. noise level: **67 dB(A)re 1 pW**
- Product dimensions (WxD): **53.4 × 30 cm**
- Height: **208 mm**
- Annual energy consumption: **70.7 kWh**





A modern kitchen scene featuring a built-in refrigerator with its door open, revealing various food items. In the foreground, a person is seated at a wooden table, with a glass bowl of food visible. The background shows a clean, minimalist kitchen environment with light-colored cabinetry and a wooden floor.

'JUST LIKE GARDEN FRESH' MOMENTS

The perfect combination of temperature, automated humidity control and special light allow your fruits and veggies to keep ripening. **Fresh and tasty choice within reach.**



FULL OF NATURAL FRESHNESS


NatureFresh FRIDGE FREEZERS

When it comes to producing food that is fresh, full of taste and rich in nutritional value, nature has always known best. It provides just the right combination of sunshine, fresh air and moisture for optimum growth and maximum flavour.

That is why the **NatureFresh** built-in fridge freezers from Gorenje mimic the natural conditions by maintaining the photosynthesis process, controlling the humidity levels and providing fresher air. Additionally, Gorenje NatureFresh built-in fridge freezers have high energy ratings, ranging from A+ to A+++ and their modular and flexible design ensures they will suit every lifestyle perfectly.

Perfect storage conditions for a healthy living.

GOOD FOOD DESERVES GOOD PRESERVATION



IonAir with DynamiCooling

LONG-LASTING
FRESHNESS

What if your food — especially veggies and fruits — could retain their crispy fresh taste and all the nutrients even after days in the fridge? Easy, thanks to **IonAir**, providing air enriched with negatively charged ions mimicking the microclimate found in nature, combined with **DynamiCooling**, the advanced fan system equalises the temperature throughout the entire refrigerator and evenly distributes ionised air. This delivers complete flexibility, as you can place any type of food on any shelf.



A++

Top energy efficiency

All Gorenje fridge freezers are highly energy-efficient. Excellent thermal insulation and door sealing, inverter compressor, and electronic or mechanical control efficiently reduce power consumption. Fridge freezers with the **A++** energy efficiency rating use 40% less power than those in the A class.

GARDEN-FRESH VEGGIES & FRUITS



CrispZone with VitaLight and SmartHumidity

**AUTOMATICALLY
ADJUSTED
HUMIDITY**

For lovers of veggies and fruits there's hardly a greater sense of joy than having a fridge full of freshly picked garden produce. Our three combined solutions provide the garden fresh & crisp quality of produce for significantly longer. The **CrispZone** drawer maintains a low temperature, while the **SmartHumidity** system keeps the humidity at an optimum level. Finally, VitaLight is a special light that maintains the ripening process to ensure that no vitamins are lost.



FreshZone

**Fresh as if straight
from nature**

The drawer with the lowest temperature in the refrigerator is ideal for storing meat, fish, fruit, and vegetables. It will preserve the food's freshness, aroma, colour, and flavour for much longer.



RECOGNIZES
YOUR HABITS

STAYS
FRESH NO
MATTER HOW
FREQUENTLY
YOU OPEN
THE DOOR



AdaptTech

The late-night trip to the fridge. You find the cake and start your internal monologue - with the fridge door open. When opening the fridge door temperature suddenly rises and causes a thermal shock. This causes the food to spoil sooner. Thankfully, our **AdaptTech** technology continuously monitors and learns your habits. So, it can predict your trip to the fridge and decrease the temperature by 1 or 2 °C so your food stays fresh and full of nutrients.



SuperCool

Rapid cooling after weekly shopping

The intensive cooling function drops the refrigerator temperature to 3 °C, which is lower than usual by nearly a half. Combined with large refrigerator compartment volume, this temperature is ideal for rapid cooling of food after major shopping trips. After six hours, the function is switched off automatically and the refrigerator compartment temperature returns to the initial setting.





MixBox

Keep your fridge neat and tidy

This shallow drawer will store all your smaller items, like spreads, butter, fish cans and snacks making sure your fridge is organized and food doesn't stay forgotten past its due date. Its slide in-and-out function ensures easy access to its content.



MultiBox

Multi-functional, practical box

The multi-purpose bin with a cover in the refrigerator door can be used for storing cheese, onions, and other food with a pungent smell. It keeps the food fresh and protects it from drying, while the silicone cover can be used as an egg or ice tray.



MultiAdjust shelves

Endless storage possibilities

These sturdy glass shelves can be very easily adjusted in position, inserted into the fridge or taken out, thereby allowing you complete freedom to adjust the fridge interior according to your specific needs. The tempered glass shelves are highly durable and will securely carry even larger amounts of food.



LedLight

Well-arranged and efficient

LED lighting in refrigerators provides excellent and highly efficient illumination. Its useful life is thirty times as long as that of conventional light bulbs, and it saves up to ten times as much power.



SMART
& HANDY



HiddenSpace

Extra storage out of sight

The **HiddenSpace** compartment provides extra hidden storage for cans or similar items underneath the CrispZone drawer.



Deep door Bottle shelf

Secure storage for bottles

Refrigerator door has plenty of storage for the largest glass or plastic bottles. A special fence holds the items in place to prevent it from moving and damage while the door is opened or closed.

OPTIMUM DOUBLE AIR CIRCULATION SYSTEM



NoFrost DualAdvance

Intensive circulation of cool air in the freezer compartment reduces the humidity level and prevents accumulation of frost on the food and ice on the freezer walls. In the refrigerator compartment, it provides optimum food storage conditions. This leads to optimum cooling and freezing control, each adjusted to the respective processes in the two separate parts of the appliance.

NO FROST
NO PROBLEMS

NoFrost advantages

- › No more time-consuming freezer defrosting.
- › Quality frozen food storage – it keeps all the nutrients.
- › Frozen food will no longer stick together.
- › Better overview of the contents.
- › More useful space.
- › No exchange of odours between the freezer and refrigerator compartment.





FastFreeze

Rapid freezing

The **FastFreeze** function freezes the food at -24°C to preserve most of the minerals in the food. After approximately 2 days, the function is switched off automatically and the freezer compartment temperature returns to the initial setting.



**115°
OPENING**



Flat hinge

Easier door opening and closing

The heavy-duty hinge allows storing heavier items in the door bins, as well as opening the door to an angle of 115° . This allows a clearer look of the interior and makes loading the fridge and taking the food from it more convenient as the door won't keep closing. If the door is left ajar, the hinge will fully close it to save power.



XXL SpaceBox

Always enough storage space

This freezer compartment drawer is the largest in the appliance and it is ideal for storing large items like a turkey, several pizzas, or even cakes.



Side by side layout

The perfect couple for your kitchen

The side-by-side layout option allows you to maximise the use of available storage space within a limited surface area and fully adapt it to your needs, as you can combine different appliances (fridges, freezers and even wine chillers).



NRKI 2181 A1

BUILT-IN INTEGRATED FRIDGE FREEZER

Advanced Line



- Colour: White
- Reversible door opening
- Door material: Steel sheet
- Door to door hinge
- Climate class: SN, N, ST, T

EFFICIENCY

- 1 compressor
- Total gross/net volume: **269 / 248 l**
- Capacity of cooling compartment: gross/net: **183 / 180 l**
- Capacity of freezer compartment: gross/net: **86 / 68 l**
- Freezing capacity in 24 hours: **8 kg / 24 h**
- Power cut safe time: **16 h**

CONTROL

- Electronic control // LED display
- Sound alarm for open door
- Digital temperature indicator for refrigerator
- Sound and visual signal for high temperature in refrigerator: white signal

FEATURES

- AdaptTech: Adaptive Intelligent System
- NoFrost DualAdvance
- Fan-assisted cooling in fridge
- IonAir with DynamiCooling
- SuperCool // FastFreeze // Smart FastFreeze
- Smart SuperCool

EQUIPMENT OF REFRIGERATOR

- LED strip on the ceiling
- 5 glass shelves // MultiAdjust shelves
- The wire bottle rack // 2 door trays
- 1 single door bottle container with fixed stopper
- 1 MultiBox container
- CrispZone with VitaLight and SmartHumidity
- FreshZone drawer

EQUIPMENT OF FREEZER

- SpaceBox 38 l
- Freezing compartment: 3 drawers // 2 glass shelves

TECHNICAL DATA

- Energy consumption kWh/24h: **0.803 kWh**
- Estimated annual energy consumption: **293 kWh**
- Noise level: **39 dB(A)re 1 pW**
- Product dimensions (HxWxD): **177.2 x 54 x 54.5 cm**
- Niche dimensions min-max (HxWxD): **177.5-178 x 56-57 x 56 cm**



NRKI 4181 E1UK

BUILT-IN INTEGRATED FRIDGE FREEZER

Essential Line



- Colour: White
- Reversible door opening
- Door material: Steel sheet
- Sliding door hinge
- Climate class: N, ST, T

EFFICIENCY

- 1 compressor
- Total gross/net volume: **269 / 248 l**
- Capacity of cooling compartment: gross/net: **183 / 180 l**
- Capacity of freezer compartment: gross/net: **86 / 68 l**
- Freezing capacity in 24 hours: **8 kg / 24 h**
- Power cut safe time: **12 h**

CONTROL

- Type of display: LED display
- Flashing lighting for open door
- Digital temperature indicator for refrigerator

- NoFrost DualAdvance
- SuperCool
- Saving programme EcoMode

- Egg/Ice bin: Egg/Ice bin: 1 x 7
- LED strip on the ceiling
- 5 glass shelves // MultiAdjust shelves
- The wire bottle rack
- Trays in refrigerator door: 2 door trays
- 1 single door bottle container with fixed stopper
- CrispZone with HumidityControl

- SpaceBox 38 l
- Freezing compartment: 3 drawers // 2 glass shelves

- Energy consumption kWh/24h: **0.80 kWh**
- Estimated annual energy consumption: **293 kWh**
- Noise level: **39 dB(A)re 1 pW**
- Product dimensions (HxWxD): **177.2 x 54 x 54.5 cm**
- Niche dimensions min-max (HxWxD): **177.5-178 x 56-57 x 56 cm**



RI 5182 A1

BUILT-IN INTEGRATED REFRIGERATOR

Advanced Line



- Colour: White
- Reversible door opening
- Door material: Steel sheet
- Door to door hinge
- Climate class: SN, N, ST

EFFICIENCY

- 1 compressor
- Total gross/net volume: **305 / 301 l**
- Capacity of cooling compartment: gross/net: **305 / 301 l**

CONTROL

- Type of display: LED display
- Sound alarm for open door
- Digital temperature indicator for refrigerator
- Sound and visual signal for high temperature in refrigerator: white signal

FEATURES

- AdaptTech: Adaptive Intelligent System
- Fan-assisted cooling in fridge
- IonAir with DynamiCooling
- SuperCool
- Smart SuperCool

EQUIPMENT OF REFRIGERATOR

- LED strip on the ceiling
- 7 glass shelves
- MultiAdjust shelves
- The wire bottle rack
- 4 door trays
- 2 single door bottle containers with fixed stopper
- Number of cheese and butter storage: 1 MultiBox container
- MixBox
- CrispZone with VitaLight and SmartHumidity
- FreshZone drawer

TECHNICAL DATA

- Energy consumption kWh/24h: **0.30 kWh**
- Estimated annual energy consumption: **111 kWh**
- Noise level: **37 dB(A)re 1 pW**
- Product dimensions (HxWxD): **177.2 x 54 x 54.5 cm**
- Niche dimensions min-max (HxWxD): **177.5-178 x 56-57 x 56 cm**



RI 4182 E1

BUILT-IN INTEGRATED REFRIGERATOR

Essential Line



- Colour: White
- Reversible door opening
- Door material: Steel sheet
- Sliding door hinge
- Climate class: SN, N, ST

- 1 compressor
- Total gross/net volume: **305 / 301 l**
- Capacity of cooling compartment: gross/net: **305 / 301 l**

- Mechanic control

- Fan-assisted cooling in fridge
- IonAir with DynamiCooling
- Saving programme EcoMode

- LED strip on the ceiling
- 7 glass shelves // MultiAdjust shelves
- The wire bottle rack // 4 door trays
- 2 single door bottle containers with fixed stopper
- CrispZone with VitaLight and SmartHumidity
- CrispZone: vegetable drawer

- Energy consumption kWh/24h: **0.30 kWh**
- Estimated annual energy consumption: **111 kWh**
- Noise level: **37 dB(A)re 1 pW**
- Product dimensions (HxWxD): **177.2 x 54 x 54.5 cm**
- Niche dimensions min-max (HxWxD): **177.5-178 x 56-57 x 56 cm**



RBIU 609 FA1

BUILT-IN UNDERCOUNTER REFRIGERATOR

Advanced Line



- Colour: White
- Door opening: Reversible door opening
- Door material: Varnished
- Door hinge: Door to door hinge
- Climate class: SN, N, ST

EFFICIENCY

- 1 compressor
- Total net volume: **121 l**
- Capacity of cooling compartment: net: **104 l**
- Capacity of freezer compartment: net: **17 l**
- Freezing capacity in 24 hours: **2 kg**
- Power Cut safe time: **9 h**

CONTROL

- Type of display: LED display
- Voice message for open door
- Flashing text message "do"
- Temperature indicator: Digital temperature indicator for refrigerator

FEATURES

- SuperCool

EQUIPMENT OF REFRIGERATOR

- LED interior light at several points on side
- 2 glass shelves
- Trays in refrigerator door: 1 SimpleSlide height adjustable door tray, 1 upper adjustable tray
- Door bottle container: 1 single container with sliding stopper
- Pull-out drawer/tray: Big glass pull-out tray
- Type of ventilation: Ventilation with fan through base

TECHNICAL DATA


- Noise level: **38 dB(A)re 1 pW**
- Product dimensions (HxWxD): **81.8 x 59.5 x 54.5 cm**
- Niche dimensions min-max (HxWxD): **82-90 x 60 x 55 cm**



FNI 5182 A1

BUILT-IN UPRIGHT FREEZER

Advanced Line



- Colour: White
- Reversible door opening
- Door material: Steel sheet
- Door to door hinge
- Climate class: SN, N, ST, T

EFFICIENCY

- Total gross/net volume: **235 / 212 l**
- Freezing capacity in 24 hours: **10 kg**
- Power cut safe time: **12 h**

CONTROL

- LED display
- Automatic defrost freezer
- Digital temperature indicator for freezer
- Sound alarm for open door
- Too high temperature in freezing compartment: Sound alarm and white light

FEATURES

- NoFrost
- FastFreeze
- Smart FastFreeze

EQUIPMENT OF FREEZER

- LED light
- 7 glass shelves // SpaceBox 38 l
- Freezing compartment: 1 door, 7 drawers

TECHNICAL DATA

- Energy consumption kWh/24h: **0.66 kWh**
- Estimated annual energy consumption: **243 kWh**
- Noise level: **39 dB(A)re 1 pW**
- Product dimensions (HxWxD): **177.2 x 55.5 x 54.5 cm**
- Niche dimensions min-max (HxWxD): **177.5-178 x 56-57 x 56 cm**



FNI 4181 E1

BUILT-IN UPRIGHT FREEZER

Essential Line



- Colour: White
- Reversible door opening
- Door material: Steel sheet
- Sliding door hinge
- Climate class: SN, N, ST, T

- Total gross/net volume: **235 / 212 l**
- Freezing capacity in 24 hours: **10 kg**
- Power cut safe time: **12 h**

- Electronic control
- LED display
- Automatic defrost freezer
- Digital temperature indicator for freezer
- Sound alarm for open door

- NoFrost
- FastFreeze
- Smart FastFreeze

- LED light
- 7 glass shelves // SpaceBox 38 l
- Freezing compartment: 1 door, 7 drawers

- Energy consumption kWh/24h: **0.85 kWh**
- Estimated annual energy consumption: **310 kWh**
- Noise level: **41 dB(A)re 1 pW**
- Product dimensions (HxWxD): **177.2 x 55.5 x 54.5 cm**
- Niche dimensions min-max (HxWxD): **177.5-178 x 56-57 x 56 cm**





'WHO'S TURN IS IT TODAY' MOMENTS

Hygienic washed and completely dried dishes take the best care of your healthy meals.

Less stress and mess over who does the dishes.




FROM “CLEAN” TO ULTRA CLEAN

UltraClean DISHWASHERS

When it comes to the question of cleaning dishes, it is not about who or what is going to do it, but rather how it is going to be done. What looks clean is not necessarily clean, as eyes cannot detect the bacteria or virus. Gorenje new generation of UltraClean dishwashers ensure your family totally clean and perfectly dry dishes every time. Inside the elegant design they bring you high quality and high-hygiene performance with amazing new features that really simplify your everyday life. Spacious and flexible interiors, adjustable baskets or high-pressure water jets that effectively remove dirt, further contribute to the quality of the new Gorenje dishwashers.

Perfectly cleaned dishes ready to serve your next meal.

AS FLEXIBLE AS YOUR TIME WILL BE



16 place settings

**LOAD &
FORGET!**

Gorenje UltraClean dishwashers offer enough space for all your needs. Three baskets enable washing up to 16 place settings at a time. The fully flexible interior allows for different loading options, the use is simple and you can really throw the ultimate party!




ConnectLife

All about your dishwasher at your fingertips

Simplify your life and have all the possibilities to control and check your dishwasher via app on your mobile device. Remote control, mobile notifications and ticketing are functionalities that will help you manage all dishwashing operations smoother and faster from wherever you are.

UP TO 30% BETTER CLEANING RESULTS

30 %
BETTER
RESULT



Top SprayArm


The additional spray arm, located at the top of the dishwasher, ensures better water coverage and thorough rinsing for up to 30 % better cleaning results. All dishes and cutlery will always be washed to perfection.



Adjustable baskets

Carefully designed interior

The baskets are equipped with highlighted movable elements and a customizable basket layout for easy loading. The truly simple two level basket adjustment system allows you to fit even the biggest pots and plates. The plate rack in the lower basket can be easily folded. Cutlery can be perfectly organized on a special tray, where they are positioned separately for perfect cleaning and drying results. Every detail is carefully designed for easiest possible handling.



MultiClick

Adjusted to every single pot

The truly simple two level basket adjustment system allows you to fit even the biggest pots and plates. It makes your dishwasher's interior completely adjustable to your current needs.



SmartControl

Just one touch is enough

Navigating your dishwasher has never been easier! All the controls are located at an ergonomic position with a straightforward left-to-right logic of operation. While all models excel with the white LED display and all are also enriched with touch control. Just one touch is enough to start the dishwashing process.



Status LedLight

Always in control


The special LED light installed on the lower part of the dishwasher door constantly indicates the current stage of the dishwashing program. That way you always know if the dishwasher is working or if the washing cycle is over.



Intensive CleanZone

Perfect solution for toughest stains and highest level of dirtiness

The new Gorenje dishwashing models have the perfect solution for toughest stains and highest level of dirtiness: two powerful and high efficient nozzles, located in the rear part of the tub. With application of high pressure water, they are targeting directly the hardest stains, perfect for cleaning pots, pans and baking trays.



AUTO
programmes

AutoProgramme

Party for two or twelve – the dishes will be spotlessly clean

Sometimes all you need is to give the glassware a light rinse, on other occasions your dishwasher is full of heavy dishes with left overs from Sunday lunch. The advanced sensor technology will always adjust your dishwashing programme to clean dishes perfectly with optimized water and energy consumption.




FastEfficient in 1h

Effectively fast

An effective and fast programme designed for daily use on dishes with slightly dried leftovers. This program works at 65°C and it is finished in 1 hour.

**CLEAN
GLASSES IN
NO TIME**



15 min SpeedWash

Clean fast so you can slow down

Imagine throwing a dinner party and the dishes from the main course are cleaned in the time it takes to serve dessert. When you select the one hour programme together with the SpeedWash function, Gorenje dishwashers will do your dishes in only 15 minutes. Perfect for handling the volume of dishes created by having multiple guests in the house.



EcoProgramme

Saving energy


When you select the ECO programme, your appliance will use lower wash and rinse temperatures and minimise the amount of water required while still achieving effective dirt removal.



ExtraHygiene with UV Technology

Always a perfectly clean dishwasher

Real antibacterial effect also at lower programme temperatures (example Eco 55°C). The UV light function is activated via new UV option, which is carefully placed in the hydraulic system. UV function is optional and can be used on all programmes. With combination of Eco, Auto, Intensive, Daily, Night and Hygiene programme, it removes up to 99.9% of bacteria and viruses from the rinsing water.



ExtraHygiene

Always a clean baby bottle

This programme includes an additional rinse with cool water, followed by an extended wash with hot water at 70 °C to eliminate 99.9 % of all bacteria. The program that mimics the sterilization process is made for anyone with exceptionally high hygiene standards.



Night programme

Quiet washing at only 37 dB

With Night programme the new Gorenje dishwasher is 2 dB less noisy than the standard programme. Your dishes will be clean in the morning and your sleep will remain undisturbed.

SUPERB DRY DISHES

**WITH NO
EXTRA
ENERGY
CONSUMED**



SmartUltra Dry

After the washing cycle, fan gets activated and removes all hot steam from the tub. The moisture is directed back to the tub. The dishwasher door automatically opens just slightly to let in fresh air, resulting in effective protection of the kitchen counter from hot steam outlet.

This allows fresh air to reach the dishes, so the washed items like plastic dishes dry completely.



TotalDry

Perfect dry dishes

Excellent for quick drying with low energy consumption. After the washing cycle, the dishwasher door automatically opens just slightly to let out the excess steam. This allows fresh air to reach the tableware, so the washed items like plastic dishes dry completely.



DetergentDispenser

Minimalistic sliding detergent dispenser


The new Gorenje dishwashing appliances are fitted with a minimalistic sliding detergent dispenser from where the pod pops out silently. The functionality of easy-to-clean dispenser makes better detergent dosage and wash all types of dishes.



SelfCleaning programme

Always a perfectly clean dishwasher


A clean dishwasher tub ensures that the washing performance will always live up to your expectations. Run the self-cleaning program once a month and you'll never have to hand scrub the dishwasher tub, spray arms and pipes again.



Effortless GlideGuides

Loading and unloading has never been so fast and easy

Effortless and fast loading your dish, upper basket have now smooth gliding. Loading and unloading has never been so fast and easy, thanks to user-friendly ball bearing guide rails on the upper basket.



IonTech

No more bad smells while waiting to fill-up your dishwasher


Everyone is familiar with bad smell that comes from a few days half loaded dishwasher that has been loading for a few days. The advanced IonTech technology built in Gorenje dishwashers operates on the principle of the natural process of ionization, which naturally eliminates odors and keeps your dishwasher fresh, even when it is full of dirty dishes.



StartDelay

Clean dishes, lower electricity bill

Program to start the dishwashing process later and let the dishwasher work whenever it is most convenient, for example when electricity is cheaper. The dishes will be perfectly washed right when you need them.



Total AquaStop

Do not worry about water spillage

With the AquaStop safety feature, the dishwasher can be safely left to operate at night as well as in your absence. In case of a leakage or flooding, AquaStop automatically cuts off the water supply while the pump drains the water out of the dishwasher tub. AquaStop remains fully functional over the lifetime of the appliance.



SuperSilent

No louder than a whisper

The best Gorenje UltraClean dishwashers operate at noise level which is equivalent to a whispered conversation between two people. The silent operation comes as a result of special sound insulation, efficient motors, high-quality materials and innovative solutions of the dishwashing system.



Inverter PowerDrive

Remarkable power, high efficiency

The new powerful brushless Inverter PowerDrive motor with speed regulation assures high performance with notably less noise, low energy consumption and a longer lifetime.

QUIET
EFFICIENT
DURABLE





GV 693C60 UVAD

FULLY INTEGRATED DISHWASHER

Superior Line



EFFICIENCY

- Max. temperature of incoming water: 70 °C
- Inverter PowerDrive motor

CONTROL

- Selected programme indicator
- Simple Control
- Status LedLight
- Interior Lighting

PROGRAMMES

- Sensors: Water level sensor, Clear water sensor
- Main Washing temperature(s): 70, 65, 55, 45, 40 °C
- 7 programmes: AutoProgramme; Intensive Programme; EcoProgramme; ExtraHygiene; GlassProgramme; FastEfficient in 1h; Night Programme

FEATURES

- 16 place settings
- 15min SpeedWash function
- SelfCleaning Programme
- **TotalDry** – automatic door opening
- **ConnectLife**
- **ExtraHygiene with UV Technology**
- **SmartDry** – Fan dry technology
- **IonTech // SmartDosing** – Automatic detergent dosing
- **Water PowerZone** // Function 3 in 1
- Wash end indication: Displayed with sound; Light inscription End on display
- Time remaining indicator: Top display
- Start delay up to 24 hours

EQUIPMENT

- Number of baskets: 3
- Upper basket system: Flexible Baskets
- Number of water jet levels: 5
- Number of spray arms: 3

SAFETY

- Overflow protection: Total AquaStop
- Service diagnostics // Stainless steel tub

TECHNICAL DATA

- Water consumption per cycle: **9,6 l**
- Energy consumption per cycle for the Eco program 40-60°C: **0.76 kWh**
- Noise level: **39 dB(A)re 1 pW**
- Noise class: **B**
- Dimensions (WxHxD): **59.8 x 81.6 x 55.5 cm**
- Niche dimensions (WxHxD): **60 x 82 x 56 cm**



GV 643D60

FULLY INTEGRATED DISHWASHER

Essential Line



- Max. temperature of incoming water: 70 °C
- Asynchronus single phase motor

- Selected programme indicator
- Simple Control

- Sensors: Water level sensor, Clear water sensor
- Main Washing temperature(s): 70, 65, 55, 45, 40 °C
- 6 programmes: AutoProgramme; Intensive Programme; EcoProgramme; ExtraHygiene; GlassProgramme; FastEfficient in 1h

- 16 place settings
- 15min SpeedWash function
- SelfCleaning Programme
- **TotalDry** – automatic door opening
- Function 3 in 1
- Wash end indication: Displayed with sound; Light inscription End on display
- Time remaining indicator: Top display
- Start delay up to 24 hours

- Number of baskets: 3
- Upper basket system: Flexible Baskets
- Number of water jet levels: 5
- Number of spray arms: 3

- Overflow protection: Total AquaStop
- Service diagnostics // Stainless steel tub

- Water consumption per cycle: **11 l**
- Energy consumption per cycle for the Eco program 40-60°C: **0.86 kWh**
- Noise level: **44 dB(A)re 1 pW**
- Noise class: **B**
- Dimensions (WxHxD): **59.8 x 81.6 x 55.5 cm**
- Niche dimensions (WxHxD): **60 x 82 x 56 cm**



GV 642D61

FULLY INTEGRATED DISHWASHER

Essential Line



EFFICIENCY

- Max. temperature of incoming water: 70 °C
- Motor: Asynchronous single phase motor

CONTROL

- Control: TouchControl

PROGRAMMES

- Main Washing temperature(s): 40, 45, 50, 55, 60, 65, 70 °C
- 6 programmes: Automatic programme; Intensive programme; Eco programme; Programme Hygiene; Crystal glasses; 1h wash
- Reference programme: 1
- Memory programme
- Automatic programme

FEATURES

- 14 place settings
- **SpeedWash** function
- **TotalDry** – automatic door opening
- Selfcleaning programme
- Function 3 in 1
- Wash end indication: Displayed with sound and light
- Time delay up to 24 hours

EQUIPMENT







- Number of baskets: 2 // Height adjustable upper basket: Yes, empty // Upper basket system: MultiClack // Number of water jet levels: 4 // Number of spray arms: 2 // Selfcleaning filter // Upper basket: Wide mesh base; Handle; Handle with plastic logotype; Foldable left CupHolder; Foldable right CupHolder; Foldable/dividable left CupHolder; Fixed pin rows; Fixed glass support; Wide knife stand; 4 cup holders // Lower basket: Wide mesh base; Handle; Plastic handle; Foldable/dividable rear pin row; Cutlery basket; No logotype

SAFETY













- Overflow protection: Total AquaStop
- Service diagnostics
- Stainless steel tub












TECHNICAL DATA


- Water consumption per cycle: **9.7 l**
- Energy consumption - normal program: **0,83 kWh**
- Estimated annual water consumption: **2716 l**
- Noise level: **44 dB(A)re 1 pW**
- Noise class: **B**
- Product dimensions (HxWxD): **81.6 × 59.8 × 55.5 cm**
- Niche dimensions (HxWxD): **82 × 60 × 55.5 cm**

**BO 9835 E01X****BOG 9823 E02X / BOGX 9832 E06BG
BOG 9832 E01X / BOG 9822 E00X****BCS 798 S24X****BCM 598 S18X / BCM 4547 A10X/A10BG****BSA... / BOS... / BO...****BOGX 6632 E05BG / BOG 6632 E01X / BOG 6622 E00X**




**IT 641 BSC7****ECS 959 BCSC****ECS 648 BCSC / ECT 643 BX
ECT 641 BSC****EC 641 BSC****GCE 681 BSC****GW 9C51 X / GW 951 X
GCW 951 B / GW 951 MB****GW 751 X****GW 642 ABX / GW 642 AB
G 641 EX / G 640 X****G 640 EX****IT 321 BCSC****ECT 321 BCSC****EC 321 BCSC**



EM 300 E

GC 321 B

IHT 943 E6XGB

IHR 443 E6X

WHI 949 EXBG

WHI 649 EB

WHT 943 E4XBG

WHT 923 E5XUK

WHT 623 E5XUK

WHT 623 E5XUK

WHC 923 E16X-SA




WHC 623 E16X-SA




BHP 623 E13X




BHP 923 E13X




WHU 629 ES/S / WHU 629 EW/S




BHI 611 ES




NRKI 2181 A1




NRKI 4181 E1UK




RI 5182 A1 / FNI 5182 A1




RI 4182 E1 / FNI 4181 E1



RBIU 609 FA1



GV 693C60 UVAD / GV 643D60



GV 642D61

gorenje

a **Hisense** company

gorenje

Hisense Middle East FZE

37th floor, BB1, Mazaya Business Avenue, Jumeirah Lakes Towers,
P.O.Box 644918, Dubai, UAE, P: (+971) 45906900

Disclaimer:

The data indicated in this brochure is subject to change without prior notice.

For latest information on products or services contact our sales office.

04/2023